
Changes for multi-OPAC support

millennium.module for Drupal

19-mar-2010

http://drupal.org/node/355602


General settings
Content type to import records into:
Library item
Select content type into which you want to import bibliographic records. It is recommended you first create a new content type at Add content type.
Action when imported records are no longer found in WebOPAC:
Delete node
Unpublish node
Remove OPAC base URL, moved below
Source OPACs
New fieldset
You can enter OPAC sources that will be available for batch import and other operations.
Action
OPAC base URL
OPAC Name
Remove
http://millennium.itesm.mx/
Tecnológico de Monterrey
Add new:
Save configuration
Reset to defaults
Remove crawl fieldset (will now go into own tab)

Holdings display

Display real-time availability information:

- ( ) No
- ( ) Full view only
- (•) Teaser & Full view

WARNING: This option might slow down your page views, as availability information is fetched from the Millennium for each record (and kept in a Drupal cache for subsequent calls). Recommended setting is "Full view only".


Insert this

[ ] **Show OPAC name in record holdings table**

Enabling this will show the OPAC name entered in the Sources tab next to each item in the holdings table.

(Optional) Locations to show in teaser view availability (comma-separated):

Comma-separated location names, as they appear on the WebOpac, that will be given priority over other locations. For example, entering "CSU" will match locations like "CSU General stacks" and "CSU Storage", showing only those in teasers and showing those above others in full record views.


Item location: mapping
These settings control how item locations (shown in each record's holding table) are mapped into a taxonomy vocabulary.
Map item location into:
vocabulary: Availability
Add OPAC name as the location's parent term
Useful when you have records from multiple OPACs. Example: if an item's location is "Third Floor" and the OPAC name is "Dewey Library", enabling this will create a parent term "Dewey Library" which will contain the terms "Third Floor" and other locations.
Add location terms only when status message is available (see below)
Enabling checkbox will only add terms if OPAC status shows items are available at the time of import. Recommended setting: off.
Status messages that mean items are available:
AVAILABLE,DISPONIBLE
Enter the exact strings (separated by commas) that appear in items' holdings table that to you mean it is available. Case does not matter. For example: AVAILABLE,IN LIBRARY
Change
Insert this
Maybe this should only appear when above checkbox is marked.