

Changes for multi-OPAC support

millennium.module for Drupal

19-mar-2010

<http://drupal.org/node/355602>

General settings

Content type to import records into:

Library item ▾

Select content type into which you want to import bibliographic records. It is recommended you first create a new content type at [Add content type](#).

Action when imported records are no longer found in WebOPAC:

- Delete node
 Unpublish node

Remove OPAC
base URL,
moved below

Source OPACs

You can enter OPAC sources that will be available for batch import and other operations.

Action	OPAC base URL	OPAC Name
Remove	http://millennium.itesm.mx/	Tecnológico de Monterrey
Add new:	<input type="text"/>	<input type="text"/>

New fieldset

Save configuration

Reset to defaults

Remove crawl
fieldset (will now
go into own tab)

Holdings display

Display real-time availability information:

- No
- Full view only
- Teaser & Full view

WARNING: This option might slow down your page views, as availability information is fetched from the Millennium for each record (and kept in a Drupal cache for subsequent calls). Recommended setting is "Full view only".

Show OPAC name in record holdings table

Enabling this will show the OPAC name entered in the Sources tab next to each item in the holdings table.



Insert this

(Optional) Locations to show in teaser view availability (comma-separated):

Comma-separated location names, as they appear on the WebOpac, that will be given priority over other locations. For example, entering "CSU" will match locations like "CSU General stacks" and "CSU Storage", showing only those in teasers and showing those above others in full record views.

Change

Item location: mapping

These settings control how item locations (shown in each record's holding table) are mapped into a taxonomy vocabulary.

Map item location into:

vocabulary: Availability

Add OPAC name as the location's parent term
Useful when you have records from multiple OPACs. Example: if an item's location is "Third Floor" and the OPAC name is "Dewey Library", enabling this will create a parent term "Dewey Library" which will contain the terms "Third Floor" and other locations.

Add location terms only when status message is available (see below)
Enabling checkbox will only add terms if OPAC status shows items are available at the time of import. Recommended setting: off.

Status messages that mean items are available:

AVAILABLE,DISPONIBLE

Enter the exact strings (separated by commas) that appear in items' holdings table that to you mean it is available. Case does not matter. For example: *AVAILABLE,IN LIBRARY*

Insert this

Maybe **this** should only appear when above checkbox is marked.