

[Skip to main content](#)

Options for the administrative overlay

If you have problems accessing administrative pages on this site, disable the overlay on your profile page. [Dismiss this message.](#)

[Close overlay](#)

Primary tabs

- [LIST \(ACTIVE TAB\)](#)
- [UPDATE](#)
- [UNINSTALL](#)

You are here

[Home](#) > [Administration](#)

Modules

Warning message

There are updates available for one or more of your modules or themes. To ensure the proper functioning of your site, you should update as soon as possible. See the [available updates](#) page for more information and to install your missing updates.

Download additional [contributed modules](#) to extend Drupal's functionality.

Regularly review and install [available updates](#) to maintain a secure and current site. Always run the [update script](#) each time a module is updated.

[Install new module](#)

[Hide Core](#)

Enabled	Name	Version	Description	Operations
---------	------	---------	-------------	------------

Enabled	Name	Version	Description	Operations
	Aggregator	7.0	Aggregates syndicated content (RSS, RDF, and Atom feeds).	Help Permissions Configure
	Block	7.0	Controls the visual building blocks a page is constructed with. Blocks are boxes of content rendered into an area, or region, of a web page. Required by: Dashboard (enabled), CCK Blocks (enabled)	Help Permissions Configure
	Blog	7.0	Enables multi-user blogs.	Help
	Book	7.0	Allows users to create and organize related content in an outline. Required by: Book	Help Permissions Configure

Enabled	Name	Version	Description	Operations		
			Delete (disabled), BookMadeSimple (disabled), Book Block (disabled)			
	Color	7.0	Allows administrators to change the color scheme of compatible themes. Required by: Stylizer (enabled)	Help		
	Comment	7.0	Allows users to comment on and discuss published content. Requires: Text (enabled), Field (enabled), Field SQL storage (enabled) Required by: Forum (enabled), Tracker (enabled)	Help	Permissions	Configure
	Contact	7.0	Enables the use	Help	Permissions	Configure

Enabled	Name	Version	Description	Operations
			of both personal and site-wide contact forms.	
☐	Content translation	7.0	Allows content to be translated into different languages. Requires: Locale (disabled)	
☒	Contextual links	7.0	Provides contextual links to perform actions related to elements on a page.	Help Permissions
☒	Dashboard	7.0	Provides a dashboard page in the administrative interface for organizing administrative tasks and tracking information within your site.	Help Permissions Configure

Enabled	Name	Version	Description	Operations
			Requires: Block (enabled)	
	Database logging	7.0	Logs and records system events to the database.	Help
			Field API to add fields to entities like nodes and users.	
			Requires: Field SQL storage (enabled), Field (enabled)	
	Field	7.0	Required by: Drupal, Field SQL storage (enabled), Field (enabled), Options (enabled), Taxonomy (enabled), Autocomplete Deluxe (enabled), References (enabled), Node Reference (enabled), Autocomplete Deluxe Node References Widget	Help

Enabled	Name	Version	Description	Operations
			(enabled), User Reference	
			(enabled), Autocomplete	
			Deluxe User	
			References Widget	
			(enabled), Text	
			(enabled), Comment	
			(enabled), File	
			(enabled), Image	
			(enabled), List	
			(enabled), Number	
			(enabled), Field UI	
			(enabled), Apache Solr Taxonomy	
			(disabled), CCK	
			(enabled), Content Complete	
			(enabled), Content Taxonomy	
			(enabled), Content Taxonomy	
			Autocomplete	
			(enabled), Content Taxonomy Migrate	
			(enabled), Fieldgroup	
			(enabled), Field Permissions	
			(enabled), Forum	
			(enabled), Gallery	
			Formatter	
			(disabled), Linkit	
			Taxonomy	

Enabled	Name	Version	Description	Operations
---------	------	---------	-------------	------------

			(enabled), Node Reference URL Widget (enabled), Tracker (enabled)	
--	--	--	--	--

			Stores field data in an SQL database.	
--	--	--	---	--

			Requires: Field (enabled), Field SQL storage (enabled)	
--	--	--	---	--

			Required by: Drupal, Field SQL storage (enabled), Field (enabled), Options (enabled), Taxonomy (enabled), Autocomplete Deluxe (enabled), References (enabled), Node Reference (enabled), Autocomplete Deluxe Node References Widget (enabled), User Reference (enabled), Autocomplete Deluxe User	
--	--	--	---	--



Field SQL storage

7.0

Help

Enabled	Name	Version	Description	Operations
---------	------	---------	-------------	------------

			References Widget	
			(enabled), Text	
			(enabled),	
			Comment	
			(enabled), File	
			(enabled), Image	
			(enabled), List	
			(enabled), Number	
			(enabled), Field UI	
			(enabled), Apache	
			Solr Taxonomy	
			(disabled), CCK	
			(enabled), Content	
			Complete	
			(enabled), Content	
			Taxonomy	
			(enabled), Content	
			Taxonomy	
			Autocomplete	
			(enabled), Content	
			Taxonomy Migrate	
			(enabled),	
			Fieldgroup	
			(enabled), Field	
			Permissions	
			(enabled), Forum	
			(enabled), Gallery	
			Formatter	
			(disabled), Linkit	
			Taxonomy	
			(enabled), Node	
			Reference URL	
			Widget (enabled),	
			Tracker (enabled)	

Enabled	Name	Version	Description	Operations
☒	Field UI	7.0	User interface for the Field API. Requires: Field (enabled), Field SQL storage (enabled) Required by: CCK (enabled), Field Permissions (enabled)	Help
☒	File	7.0	Defines a file field type. Requires: Field (enabled), Field SQL storage (enabled) Required by: Image (enabled), Gallery Formatter (disabled)	Help
☒	Filter	7.0	Filters content in preparation for display. Required by: Drupal	Help Permissions Configure

Enabled	Name	Version	Description	Operations		
	Forum	7.0	Provides discussion forums. Requires: Taxonomy (enabled), Options (enabled), Field (enabled), Field SQL storage (enabled), Comment (enabled), Text (enabled)	Help	Permissions	Configure
	Help	7.0	Manages the display of online help.	Help		
	Image	7.0	Provides image manipulation tools. Requires: File (enabled), Field (enabled), Field SQL storage (enabled) Required by: Gallery Formatter (disabled)	Help	Permissions	Configure

Enabled	Name	Version	Description	Operations
☒	List	7.0	Defines list field types. Use with Options to create selection lists. Requires: Field (enabled), Field SQL storage (enabled), Options (enabled)	Help
☐	Locale	7.0	Adds language handling functionality and enables the translation of the user interface to languages other than English. Required by: Content translation (disabled)	
☒	Menu	7.0	Allows administrators to customize the site navigation menu.	Help Permissions Configure

Enabled	Name	Version	Description	Operations
			Required by: Nice Menus (enabled)	
☒	Node	7.0	Allows content to be submitted to the site and displayed on pages. Required by: Drupal	Help Permissions Configure
			Defines numeric field types.	
☒	Number	7.0	Requires: Field (enabled), Field SQL storage (enabled)	Help
☐	OpenID	7.0	Allows users to log into your site using OpenID.	
☒	Options	7.0	Defines selection, check box and radio button widgets for text and numeric fields.	Help

Enabled	Name	Version	Description	Operations
			Requires: Field (enabled), Field SQL storage (enabled)	
			Required by: Taxonomy (enabled), Autocomplete Deluxe (enabled), References (enabled), Node Reference (enabled), Autocomplete Deluxe Node References Widget (enabled), User Reference (enabled), Autocomplete Deluxe User References Widget (enabled), List (enabled), Apache Solr Taxonomy (disabled), Content Taxonomy (enabled), Content Taxonomy Autocomplete (enabled), Content Taxonomy Migrate (enabled), Forum (enabled), Linkit	

Enabled	Name	Version	Description	Operations		
			Taxonomy (enabled), Node Reference URL Widget (enabled)			
	Overlay	7.0	Displays the Drupal administration interface in an overlay.	Help	Permissions	
	Path	7.0	Allows users to rename URLs. Required by: Pathauto (enabled)	Help	Permissions	Configure
	PHP filter	7.0	Allows embedded PHP code/snippets to be evaluated.	Help	Permissions	
	Poll	7.0	Allows your site to capture votes on different topics in the form of multiple choice questions.	Help	Permissions	

Enabled	Name	Version	Description	Operations		
	RDF	7.0	Enriches your content with metadata to let other applications (e.g. search engines, aggregators) better understand its relationships and attributes.	Help		
	Search	7.0	Enables site-wide keyword searching. Required by: Apache Solr search (disabled), Acquia search (disabled), Apache Solr Taxonomy (disabled)	Help	Permissions	Configure
	Shortcut	7.0	Allows users to manage customizable lists of shortcut links.	Help	Permissions	Configure

Enabled	Name	Version	Description	Operations
☒	Statistics	7.0	Logs access statistics for your site.	Help Permissions Configure
☐	Syslog	7.0	Logs and records system events to syslog.	
☒	System	7.0	Handles general site configuration for administrators.	Help Permissions Configure
			Required by: Drupal	
☒	Taxonomy	7.0	Enables the categorization of content. Requires: Options (enabled), Field (enabled), Field SQL storage (enabled)	Help Permissions Configure
			Required by: Autocomplete Deluxe (enabled), Autocomplete Deluxe Node References Widget	

Enabled	Name	Version	Description	Operations
			(enabled), Autocomplete Deluxe User References Widget (enabled), Apache Solr Taxonomy (disabled), Content Taxonomy (enabled), Content Taxonomy Autocomplete (enabled), Content Taxonomy Migrate (enabled), Forum (enabled), Linkit Taxonomy (enabled)	
☒	Testing	7.0	Provides a framework for unit and functional testing.	Help Permissions Configure
☒	Text	7.0	Defines simple text field types. Requires: Field (enabled), Field SQL storage (enabled) Required by: Drupal, Comment	Help

Enabled	Name	Version	Description	Operations	
			(enabled), Forum (enabled), Tracker (enabled)		
☒	Toolbar	7.0	Provides a toolbar that shows the top-level administration menu items and links from other modules.	Help	Permissions
☒	Tracker	7.0	Enables tracking of recent content for users. Requires: Comment (enabled), Text (enabled), Field (enabled), Field SQL storage (enabled)	Help	
☒	Trigger	7.0	Enables actions to be fired on certain system events, such as when new content is	Help	Configure

Enabled	Name	Version	Description	Operations
			created.	
			Required by: Mime Mail Action (enabled)	
	Update manager	7.0	Checks for available updates, and can securely install or update modules and themes via a web interface.	Help Configure
	User	7.0	Manages the user registration and login system. Required by: Drupal	Help Permissions Configure

[Hide Acquia Network Connector](#)

Enabled	Name	Version	Description	Operations
Enabled	Name	Version	Description	Operations

Enabled	Name	Version	Description	Operations
	Acquia agent	7.x-1.1	Allows Drupal to securely communicate with the Acquia Network, and checks for updates to Acquia Drupal. Required by: Acquia site information (disabled), Acquia search (disabled)	
	Acquia search	7.x-1.1	Provides integration between your Drupal site and Acquia's hosted search service. Requires: Acquia agent (disabled), Apache Solr framework (disabled), Apache Solr search (disabled), Search (enabled)	
	Acquia site information	7.x-1.1	Sends a site profile including Acquia Drupal version, platform and module information; number of posts, comments and users; as well as file hashes and file metainformation on files in the system to the Acquia Network to facilitate support and update notifications. Requires: Acquia agent (disabled)	

[Hide Administration](#)

Enabled	Name	Version	Description	Operations
Enabled	Name	Version	Description	Operations
	Content type overview	7.x-1.0-beta2	Provides easy access to all basic content type settings.	Help
Hide CCK				

Enabled	Name	Version	Description	Operations
Enabled	Name	Version	Description	Operations
	Autocomplete Deluxe	7.x-1.0-beta1	Enhanced autocomplete using JQuery UI autocomplete. Requires: Options (enabled), Field (enabled), Field SQL storage (enabled), Taxonomy (enabled) Required by: Autocomplete Deluxe Node References Widget (enabled), Autocomplete Deluxe User References Widget (enabled)	Help

Enabled	Name	Version	Description	Operations
	Autocomplete Deluxe Node References Widget	7.x-1.0-beta1	Autocomplete Deluxe widget implementation for node references. Requires: Autocomplete Deluxe (enabled), Options (enabled), Field (enabled), Field SQL storage (enabled), Taxonomy (enabled), Node Reference (enabled), References (enabled)	
	Autocomplete Deluxe User References Widget	7.x-1.0-beta1	Autocomplete Deluxe widget implementation for user references. Requires: Autocomplete Deluxe (enabled), Options (enabled), Field (enabled), Field SQL storage (enabled), Taxonomy (enabled), User Reference (enabled), References (enabled)	
	CCK	7.x-2.x-dev	Miscellaneous field functions not handled	Permissions

Enabled	Name	Version	Description	Operations
			by core.	
			Requires: Field UI (enabled), Field (enabled), Field SQL storage (enabled)	
	CCK Blocks	7.x-1.0	Shows CCK fields as block. Requires: Block (enabled)	
	Content Migrate	7.x-2.x- dev	Migrate fields and field data from CCK D6 format to the D7 field format. Required to migrate data, can be disabled once all fields have been migrated. Required by: Content Taxonomy Migrate (enabled)	
	Content Templates	7.x-1.0- alpha2	Create templates to customize output of teaser and body content.	Help Permissions

Enabled	Name	Version	Description	Operations
☒	Multiselect	7.x-1.8	Defines a CCK multiple selection field widget, to allow easier multi-selection for users.	Help

[Hide Chaos tool suite](#)

Enabled	Name	Version	Description	Operations
☒	Bulk Export	7.x-1.0-alpha4	Performs bulk exporting of data objects known about by Chaos tools. Requires: Chaos tools (enabled)	Permissions

			A library of helpful tools by Merlin of Chaos.	
☒	Chaos tools	7.x-1.0-alpha4	Required by: Bulk Export (enabled), Custom rulesets (enabled), Chaos Tools (CTools) AJAX Example (enabled), Custom content panes (enabled), Panels (enabled), Page manager (enabled), Chaos Tools	Help

Enabled	Name	Version	Description	Operations
			(CTools) Plugin Example (enabled), Views (enabled), Date Views (enabled), Display suite (enabled), Extras (disabled), Search display (enabled), Fieldgroup (enabled), Panels In-Place Editor (enabled), Mini panels (enabled), Panel nodes (enabled), Stylizer (enabled), Views content panes (enabled), Views exporter (enabled), Views UI (enabled)	
	Chaos Tools (CTools) AJAX Example	7.x-1.0- alpha4	Shows how to use the power of Chaos AJAX. Requires: Chaos tools (enabled)	
	Chaos Tools (CTools) Plugin Example	7.x-1.0- alpha4	Shows how an external module can provide ctools plugins (for Panels, etc.). Requires: Chaos tools (enabled), Panels (enabled), Page manager (enabled), Advanced help (enabled)	Help
	Custom content	7.x-1.0- alpha4	Create custom, exportable, reusable content panes for	Permissions

Enabled	Name	Version	Description	Operations
	panes		applications like Panels. Requires: Chaos tools (enabled)	
	Custom rulesets	7.x-1.0-alpha4	Create custom, exportable, reusable access rulesets for applications like Panels. Requires: Chaos tools (enabled)	Permissions
	Page manager	7.x-1.0-alpha4	Provides a UI and API to manage pages within the site. Requires: Chaos tools (enabled) Required by: Chaos Tools (CTools) Plugin Example (enabled)	Help Permissions
	Stylizer	7.x-1.0-alpha4	Create custom styles for applications such as Panels. Requires: Chaos tools (enabled), Color (enabled)	Permissions
	Views content panes	7.x-1.0-alpha4	Allows Views content to be used in Panels, Dashboard and other modules which	

Enabled	Name	Version	Description	Operations
			use the CTools Content API. Requires: Chaos tools (enabled), Views (enabled)	
Hide Content				

Enabled	Name	Version	Description	Operations
Enabled	Name	Version	Description	Operations
		BookMadeSimple	7.x-3.2	Automatic creation of a book and simple creation of child pages. Requires: Book (enabled)
Hide Date/Time				

Enabled	Name	Version	Description	Operations
Enabled	Name	Version	Description	Operations
		Date	7.x-2.0-alpha3	Defines date/time fields and widgets. Requires: Date API (enabled)
				Help Permissions

Enabled	Name	Version	Description	Operations	
			Required by: Date Tools (enabled)		
			A Date API that can be used by other modules.		
	Date API	7.x-2.0-alpha3	Required by: Date (enabled), Date Popup (enabled), Date Repeat API (enabled), Date Tools (enabled), Date Views (enabled)		
	Date Popup	7.x-2.0-alpha3	Enables jquery popup calendars and time entry widgets for selecting dates and times. Requires: Date API (enabled)	Help	Configure
	Date Repeat API	7.x-2.0-alpha3	A Date Repeat API to calculate repeating dates and times from iCal rules. Requires: Date API (enabled)		

Enabled	Name	Version	Description	Operations
	Date Tools	7.x-2.0-alpha3	Tools to import and auto-create dates and calendars. Requires: Date (enabled), Date API (enabled)	Permissions Configure

	Date Views	7.x-2.0-alpha3	Views integration for date fields and date functionality. Requires: Date API (enabled), Views (enabled), Chaos tools (enabled)	
---	-------------------	----------------	---	--

[Hide Development](#)

Enabled	Name	Version	Description	Operations
	ThemeKey Example	7.x-1.x-dev	Implements parts of the ThemeKey API as an example for Developers. Requires: ThemeKey (disabled)	

[Hide Display suite](#)

Enabled	Name	Version	Description	Operations		
---------	------	---------	-------------	------------	--	--

Enabled	Name	Version	Description	Operations		
☒	Display suite	7.x-1.1	Extend the display options for every entity type. Requires: Chaos tools (enabled) Required by: Extras (disabled), Search display (enabled)	Help	Permissions	Configure
☐	Extras	7.x-1.1	Contains additional features: field templates, switching view modes on a per node basis, hide page title, exposing regions as blocks, fivestar and views displays. Requires: Display suite (enabled), Chaos tools (enabled)			
☒	Search display	7.x-1.1	Extend the display options for search results for Drupal Core or Apache Solr.			Configure

Enabled	Name	Version	Description	Operations
---------	------	---------	-------------	------------

			Requires: Display suite (enabled), Chaos tools (enabled)	
--	--	--	--	--

[Hide Example modules](#)

Enabled	Name	Version	Description	Operations
---------	------	---------	-------------	------------

Enabled	Name	Version	Description	Operations
---------	------	---------	-------------	------------



	Multiselect FAPI Example			
--	-------------------------------------	--	--	--

		7.x-1.8		
--	--	---------	--	--

			Example usage of the Multiselect module via Form API calls.	
--	--	--	---	--

[Hide Fields](#)

Enabled	Name	Version	Description	Operations
---------	------	---------	-------------	------------

Enabled	Name	Version	Description	Operations
---------	------	---------	-------------	------------



	Content Taxonomy			
--	-----------------------------	--	--	--

		7.x-1.x- dev		
--	--	-----------------	--	--

			Extends the Taxonomy Reference Fields	
--	--	--	--	--

[Help](#)

			Requires: Taxonomy (enabled),	
--	--	--	---	--

Enabled	Name	Version	Description	Operations
---------	------	---------	-------------	------------

			Options (enabled), Field (enabled), Field SQL storage (enabled) Required by: Content Taxonomy Autocomplete (enabled)	
--	--	--	---	--

			Extends the Taxonomy Autocomplete Widget	
--	--	--	---	--

			Requires: Content Taxonomy (enabled), Taxonomy (enabled), Options (enabled), Field (enabled), Field SQL storage (enabled)	
☒	Content Taxonomy Autocomplete	7.x-1.x- dev		Help

Enabled	Name	Version	Description	Operations
	Content Taxonomy Migrate	7.x-1.x-dev	Migration from Content Taxonomy to Term Reference Fields Requires: Taxonomy (enabled), Options (enabled), Field (enabled), Field SQL storage (enabled), Content Migrate (enabled)	Help
	Field Permissions	7.x-1.0-alpha1	Set field-level permissions to create, update or view fields. Requires: Field UI (enabled), Field (enabled), Field SQL storage	Help Permissions Configure

Enabled	Name	Version	Description	Operations
---------	------	---------	-------------	------------

(enabled)



Fieldgroup

7.x-1.0-rc2

Fieldgroup

Requires: Field

(enabled),

Field SQL storage

(enabled),

Chaos tools

(enabled)

[Help](#) [Permissions](#)



Link

7.x-1.0-alpha3

Defines simple link field types.



Node Reference

7.x-2.0-beta3

Defines a field type for referencing one node from another.

Requires: Field

(enabled),

Field SQL storage

(enabled),

References

(enabled),

Options

(enabled)

Required by:

Enabled	Name	Version	Description	Operations
---------	------	---------	-------------	------------

			Autocomplete Deluxe Node References Widget (enabled), Node Reference URL Widget (enabled)	
--	--	--	---	--

			Adds an additional widget to the Node Reference field that prepopulates a reference by the URL.	
☒	Node Reference URL Widget	7.x- 1.11	Requires: Node Reference (enabled), Field (enabled), Field SQL storage (enabled), References (enabled), Options (enabled)	Help

Enabled

Name

Version

Description

Operations

			Defines common base features for the various reference field types.	
			Requires: Field (enabled), Field SQL storage (enabled), Options (enabled)	
	References	7.x-2.0- beta3	Required by: Node Reference (enabled), Autocomplete Deluxe Node References Widget (enabled), User Reference (enabled), Autocomplete Deluxe User References Widget (enabled), Node Reference URL Widget	Help

Enabled	Name	Version	Description	Operations
			(enabled)	
			Defines a field type for referencing a user from a node.	
			Requires: Field (enabled), Field SQL storage (enabled),	
☒	User Reference	7.x-2.0-beta3	References (enabled), Options (enabled)	
			Required by: Autocomplete Deluxe User References Widget (enabled)	

Hide Input filters

Enabled	Name	Version	Description	Operations
Enabled	Name	Version	Description	Operations

Enabled	Name	Version	Description	Operations
	Pathologic	7.x-1.2	Helps avoid broken links and incorrect paths in content. Required by: Linkit (enabled), Linkit File (enabled), Linkit Node (enabled), Linkit Permissions (enabled), Linkit Taxonomy (enabled), Linkit User (enabled)	Help
Hide Linkit				

Enabled	Name	Version	Description	Operations
	Linkit	7.x-1.2	Linkit provides an easy way for users to link to internal content by search with an autocomplete field. Requires: Pathologic (enabled) Required by: Linkit File (enabled), Linkit Node (enabled),	Help Permissions Configure

Enabled	Name	Version	Description	Operations
Linkit Permissions (enabled), Linkit Taxonomy (enabled), Linkit User (enabled)				
Extend Linkit with support for file links.				
☒	Linkit File	7.x-1.2	Requires: Linkit (enabled), Pathologic (enabled)	
Extend Linkit with support for node links.				
☒	Linkit Node	7.x-1.2	Requires: Linkit (enabled), Pathologic (enabled)	
Extend Linkit with permissions for plugins.				
☒	Linkit Permissions	7.x-1.2	Requires: Linkit (enabled), Pathologic	Permissions

Enabled	Name	Version	Description	Operations
			(enabled)	
	Linkit Taxonomy	7.x-1.2	Extend Linkit with support for taxonomy links. Requires: Linkit (enabled), Pathologic (enabled), Taxonomy (enabled), Options (enabled), Field (enabled), Field (enabled), SQL storage (enabled)	
	Linkit User	7.x-1.2	Extend Linkit with support for user links. Requires: Linkit (enabled), Pathologic (enabled)	

[Hide Mail](#)

Enabled	Name	Version	Description	Operations
---------	------	---------	-------------	------------

Enabled	Name	Version	Description	Operations
	Mail System	7.x-2.10	Provides a user interface for per-module and site-wide mail_system selection. Required by: Mime Mail (enabled), Mime Mail Action (enabled), Mime Mail CSS Compressor (enabled)	Help Permissions Configure
	Mime Mail	7.x-1.x-dev	Send MIME-encoded emails with embedded images and attachments. Requires: Mail System (enabled) Required by: Mime Mail Action (enabled), Mime Mail CSS Compressor (enabled)	Help Configure

Enabled	Name	Version	Description	Operations
☒	Mime Mail Action	7.x-1.x-dev	Provide actions for Mime Mail. Requires: Mime Mail (enabled), Mail System (enabled), Trigger (enabled)	
☒	Mime Mail CSS Compressor	7.x-1.x-dev	Converts CSS to inline styles in an HTML message. (Requires the PHP DOM extension.) Requires: Mime Mail (enabled), Mail System (enabled)	

Hide Other

Enabled	Name	Version	Description	Operations
Enabled	Name	Version	Description	Operations

Enabled	Name	Version	Description	Operations
☒	Advanced help	7.x-1.0-beta1	Allow advanced help and documentation. Required by: Chaos Tools (CTools) Plugin Example (enabled), Advanced help example (enabled)	Help Permissions
☒	Advanced help example	7.x-1.0-beta1	A example help module to demonstrate the advanced help module. Requires: Advanced help (enabled)	Help
☒	Arrange Fields	7.x-1.0-beta5	Drag and drop form fields into any position.	Help Permissions Configure
☐	Book Block	7.x-1.x-dev	Enables users to add specific book navigation blocks to non-	

Enabled	Name	Version	Description	Operations
			book pages.	
			Requires: Book (enabled)	
	Book Delete	7.x-1.0	Adds ability to delete books to the book administration. Requires: Book (enabled)	
	Clientside validation	7.x-1.11	Add client side validation to forms and webforms	
	Content Complete	7.x-1.4-beta1	Configure CCK fields to be tagged as required to be complete. Display the percent of completion to the user via a block. Requires: Field (enabled), Field SQL storage	Help Permissions

Enabled	Name	Version	Description	Operations		
			(enabled)			
☒	Jump	7.x-1.x-dev	Turns a menu or taxonomy into a pick list	Help	Configure	
☐	Mollom	7.x-1.0	Protects forms against spam.			
☒	Nice Menus	7.x-2.x-dev	CSS/jQuery drop-down, drop-right and drop-left menus to be placed in blocks	Help	Configure	
			Requires: Menu (enabled)			
☒	Options element	7.x-1.4	A custom form element for entering the options in select lists, radios, or checkboxes.			
☒	Pathauto	7.x-1.0-beta1	Provides a mechanism for modules to automatically	Help	Permissions	Configure

Enabled	Name	Version	Description	Operations
			generate aliases for the content they manage.	
			Requires: Path (enabled), Token (enabled)	
☒	Revisioning	7.x-1.0-beta5	Allows the creation and modification of content while the current revision remains unchanged and publicly visible until the changes have been reviewed by a moderator.	Help Permissions
☒	Revisioning Scheduler	7.x-1.0-beta5	Allows revisions to be published at specified times.	
☒	Select (or other)	7.x-2.x-dev	Provides a select box form element with additional option 'Other' to give a	Help

Enabled	Name	Version	Description	Operations
			textfield.	
☒	TableField	7.x-2.0-beta4	Defines a generic tabular data field.	Help
☒	Token	7.x-1.0-beta1	Provides a user interface for the Token API and some missing core tokens. Required by: Pathauto (enabled)	Help
☒	Unique field	7.x-1.0-beta1	Provides content validation requirement that a node's author, language, taxonomy terms, or other fields are unique.	Help Permissions
☒	Vocabulary	7.x-1.x-dev	Additional vocabulary stuff	

Enabled	Name	Version	Description	Operations
	Vocabulary Access	7.x-1.x-dev	This only adds per vocabulary permission to vocabulary's taxonomy/ pages, just that.	Permissions

[Hide Panels](#)

Enabled	Name	Version	Description	Operations
	Mini panels	7.x-3.0-alpha3	Create mini panels that can be used as blocks by Drupal and panes by other panel modules. Requires: Panels (enabled), Chaos tools (enabled)	Permissions
	Panel nodes	7.x-3.0-alpha3	Create nodes that are divided into areas with selectable content. Requires: Panels	Permissions Configure

Enabled	Name	Version	Description	Operations
			(enabled), Chaos tools (enabled)	
			Core Panels display functions; provides no external UI, at least one other Panels module should be enabled.	
	Panels	7.x-3.0-alpha3	Requires: Chaos tools (enabled) Required by: Chaos Tools (CTools) Plugin Example (enabled), Panels In-Place Editor (enabled), Mini panels (enabled), Panel nodes (enabled)	Help Permissions Configure
	Panels In-Place Editor	7.x-3.0-alpha3	Provide a UI for managing some Panels directly on the frontend, instead of having to use the backend. Requires: Panels (enabled), Chaos tools (enabled)	Configure

[Hide Performance](#)

Enabled	Name	Version	Description	Operations
	Core Library	7.x-1.0-beta7	Extends Drupal core and allows you to override other modules' libraries definition and aggregation rules.	

	Core Library Advanced UI	7.x-1.0-beta7	Provide configuration screens for the Core Library module. You should enable this module the first time you use it, then disable it once in production.	
---	---------------------------------	---------------	---	--

[Hide Rules](#)

Enabled	Name	Version	Description	Operations
	Rules	7.x-2.0-beta1	React on events and conditionally evaluate actions. Requires: Entity_token (missing), Entity (missing) Required by: Rules UI (disabled), Rules Scheduler (disabled)	

Enabled	Name	Version	Description	Operations
☐	Rules Scheduler	7.x-2.0-beta1	Schedule the execution of rule components using actions. Requires: Rules (disabled), Entity_token (missing), Entity (missing)	
☐	Rules UI	7.x-2.0-beta1	Administrative interface for managing rules. Requires: Rules (disabled), Entity_token (missing), Entity (missing)	

[Hide Search](#)

Enabled	Name	Version	Description	Operations
☒	Search API Facets Paths	7.x-1.7	Pretty paths for Search API Facets	Configure

[Hide Search Toolkit](#)

Enabled	Name	Version	Description	Operations
---------	------	---------	-------------	------------

Enabled	Name	Version	Description	Operations
	Apache Solr Access	7.x-1.0-beta6	Integrates node access and other permissions with Apache Solr search Requires: Apache Solr framework (disabled)	
	Apache Solr framework	7.x-1.0-beta6	Framework for searching with Solr Required by: Apache Solr search (disabled), Acquia search (disabled), Apache Solr Access (disabled), Apache Solr Taxonomy (disabled)	
	Apache Solr search	7.x-1.0-beta6	Search with Solr Requires: Search (enabled), Apache Solr framework (disabled) Required by: Acquia search (disabled), Apache Solr Taxonomy (disabled)	
	Apache Solr Taxonomy	7.x-1.0-beta6	Override handling of taxonomy/term/X links using Solr search. Deprecated in favor of Views integration. Requires: Taxonomy (enabled), Options (enabled), Field (enabled), Field SQL storage (enabled), Apache Solr search (disabled), Search (enabled), Apache Solr framework	

Enabled	Name	Version	Description	Operations
			(disabled)	
	Hide Skinr			

Enabled	Name	Version	Description	Operations
	Skinr	7.x-2.x-dev	Provides a way to define and/or skin bits of Drupal output from the UI. Required by: Skinr UI (disabled)	
	Skinr UI	7.x-2.x-dev	Administrative interface to skinr. Without this module, you cannot edit your skins. Requires: Skinr (disabled)	

	Hide ThemeKey			
Enabled	Name	Version	Description	Operations
	ThemeKey	7.x-1.x-	Map themes to Drupal paths or object properties.	

Enabled	Name	Version	Description	Operations
		dev	Required by: ThemeKey Compatibility (Experimental!) (disabled), ThemeKey Debug (disabled), ThemeKey Example (disabled), ThemeKey Features (Experimental!) (disabled), ThemeKey UI (disabled), ThemeKey User Profile (disabled)	
☐	ThemeKey Compatibility (Experimental!)	7.x-1.x-dev	Integration of different theme switching modules into ThemeKey and it's theme switching rule chain. Requires: ThemeKey (disabled)	
☐	ThemeKey Debug	7.x-1.x-dev	Debug ThemeKey Requires: ThemeKey (disabled)	
☐	ThemeKey Features (Experimental!)	7.x-1.x-dev	Integrates ThemeKey with Features. Warning! Don't use in production! Highly Experimental! Requires: ThemeKey (disabled), Features (missing)	
☐	ThemeKey UI	7.x-1.x-dev	Integrates ThemeKey with Drupal administration forms.	

Enabled	Name	Version	Description	Operations
			Requires: ThemeKey (disabled)	
			Required by: ThemeKey User Profile (disabled)	
☐	ThemeKey User Profile	7.x-1.x-dev	Allows users to select their own theme for this site. ThemeKey User Profile replaces the corresponding feature that existed in Drupal 6 Core but has been removed in Drupal 7 Core. Requires: ThemeKey (disabled), ThemeKey UI (disabled)	

[Hide Theme related](#)

Enabled	Name	Version	Description	Operations
☐	Content Theme	7.x-1.x-dev	Allows to use different themes than the site default on content creating, editing, and viewing pages.	
☐	Page Theme	7.x-1.x-dev	Allows to use different themes than the site default on specific pages.	

Hide User interface

Enabled	Name	Version	Description	Operations
☒	CKEditor	7.x-1.x-dev	Enables the usage of CKEditor (WYSIWYG) instead of plain text fields.	Help Permissions Configure
☐	CKEditor SWF	7.x-1.x-dev	Enhanced Flash embedding plugin for CKEditor.	
☐	Gallery Formatter	7.x-1.0	Provides a jquery gallery CCK formatter for imagefield Requires: Image (enabled), File (enabled), Field (enabled), Field SQL storage	

Enabled	Name	Version	Description	Operations
			(enabled)	
☐	Wysiwyg	7.x-2.0	Allows users to edit contents with client-side editors.	

Hide Views

Enabled	Name	Version	Description	Operations
			Create customized lists and queries from your database.	
☒	Views	7.x-3.0-beta3	Requires: Chaos tools (enabled) Required by: Date Views (enabled), Views content panes (enabled), Views exporter (enabled), Views UI (enabled)	Help Permissions

Enabled	Name	Version	Description	Operations
☒	Views exporter	7.x-3.0-beta3	Allows exporting multiple views at once. Requires: Views (enabled), Chaos tools (enabled)	Permissions

☒	Views UI	7.x-3.0-beta3	Administrative interface to views. Without this module, you cannot create or edit your views. Requires: Views (enabled), Chaos tools (enabled)	Configure
-------------------------------------	-----------------	---------------	--	---------------------------

[Hide Voting](#)

Enabled	Name	Version	Description	Operations
☒	Reference links	7.x-1.0-beta1	Allows users to add Reference links to node, and rate them.	Help Permissions Configure

Enabled	Name	Version	Description	Operations
			Requires: Voting API (enabled)	
☒	Voting API	7.x-2.4	Provides a shared voting API for other modules. Required by: Reference links (enabled)	Help Permissions
Hide Webform				

Enabled	Name	Version	Description	Operations
☒	Webform	7.x-3.9	Enables the creation of forms and questionnaires. Required by: Webform Validation (enabled)	Help Permissions Configure
☒	Webform Validation	7.x-1.0	Add validation rules to	Help

Enabled	Name	Version	Description	Operations
---------	------	---------	-------------	------------

			webforms	
--	--	--	----------	--

			Requires: Webform (enabled)	
--	--	--	--------------------------------	--

Save configuration