

Urbanwood Design

[Home](#)

Modules

[List](#)

[Uninstall](#)

[Hierarchy](#)

Operating in off-line mode.

No information is available about potential new releases for currently installed modules and themes. To check for updates, you may need to [run cron](#) or you can [check manually](#). Please note that checking for available updates can take a long time, so please be patient.

 [Printer-friendly version](#)

Modules are plugins that extend Drupal's core functionality. Enable modules by selecting the *Enabled* checkboxes below and clicking the *Save configuration* button. Once a module is enabled, new [permissions](#) may be available. To reduce server load, modules with their *Throttle* checkbox selected are temporarily disabled when your site becomes extremely busy. (Note that the *Throttle* checkbox is only available if the Throttle module is enabled.)


It is important that [update.php](#) is run every time a module is updated to a newer version.

You can find all administration tasks belonging to a particular module on the [administration by module page](#).

To extend the functionality of your site, a number of [contributed modules](#) are available.

To clear all caches, click the button on the [Performance page](#).

See the [available updates](#) page for information on installed modules and themes with new versions released.

 [Send to friend](#)

 [PDF version](#)

Administration

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	Actions permissions	6.x-1.10	Integrates actions with the permission system.
<input checked="" type="checkbox"/>	Admin	6.x-2.0	UI helpers for Drupal admins and managers.
<input checked="" type="checkbox"/>	Administration menu	6.x-3.0-alpha4	Provides a dropdown menu to most administrative tasks and other common destinations (to users with the proper permissions). Depends on: Menu (enabled) Required by: Administration menu Toolbar style (enabled)
<input checked="" type="checkbox"/>	Administration menu Toolbar style	6.x-3.0-alpha4	A better Toolbar. Depends on: Administration menu (enabled), Menu (enabled)
<input checked="" type="checkbox"/>	Administration views	6.x-3.0-alpha4	Replaces all system object management pages in Drupal core with real views. Depends on: Views (enabled), Views Bulk Operations (enabled)

CCK

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	Content	6.x-2.8	Allows administrators to define new content types. Required by: Content Copy (enabled), Content Permissions (enabled), DraggableViews CCK handler (enabled), Fieldgroup (enabled), FileField (enabled), CCK translation (disabled), ImageField (enabled), Node Reference (enabled), Number (enabled), Option Widgets (enabled), Text (enabled), User Reference (enabled), FileField Meta (enabled)
<input checked="" type="checkbox"/>	Content Copy	6.x-2.8	Enables ability to import/export field definitions. Depends on: Content (enabled)
<input checked="" type="checkbox"/>	Content Permissions	6.x-2.8	Set field-level permissions for CCK fields. Depends on: Content (enabled)
<input checked="" type="checkbox"/>	Fieldgroup	6.x-2.8	Create display groups for CCK fields. Depends on: Content (enabled)
<input checked="" type="checkbox"/>	FileField	6.x-3.7	Defines a file field type. Depends on: Content (enabled) Required by: FileField Meta (enabled), ImageField (enabled)
<input checked="" type="checkbox"/>	FileField Meta	6.x-3.7	Add metadata gathering and storage to FileField. Depends on: FileField (enabled), getID3() (enabled), Content (enabled)
<input checked="" type="checkbox"/>	ImageField	6.x-3.7	Defines an image field type. Depends on: Content (enabled), FileField (enabled)
<input checked="" type="checkbox"/>	Node Reference	6.x-2.8	Defines a field type for referencing one node from another. Depends on: Content (enabled), Text (enabled), Option Widgets (enabled)
<input checked="" type="checkbox"/>	Number	6.x-2.8	Defines numeric field types. Depends on: Content (enabled)
<input checked="" type="checkbox"/>	Option Widgets	6.x-2.8	Defines selection, check box and radio button widgets for text and numeric fields. Depends on: Content (enabled) Required by: Node Reference (enabled), User Reference (enabled)
<input checked="" type="checkbox"/>	Text	6.x-2.8	Defines simple text field types. Depends on: Content (enabled) Required by: Node Reference (enabled), User Reference (enabled)
<input checked="" type="checkbox"/>	User Reference	6.x-2.8	Defines a field type for referencing a user from a node. Depends on: Content (enabled), Text (enabled), Option Widgets (enabled)

Chaos tool suite

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	Bulk Export	6.x-1.8	Performs bulk exporting of data objects known about by Chaos tools. Depends on: Chaos tools (enabled)
<input checked="" type="checkbox"/>	Chaos tools	6.x-1.8	A library of helpful tools by Merlin of Chaos. Required by: Bulk Export (enabled), Custom rulesets (enabled), Chaos Tools (CTools) AJAX Example (enabled), Custom content panes (enabled), Chaos Tools (CTools) Plugin Example (enabled), Page manager (enabled), Panels (enabled), Strongarm (enabled), Stylizer (enabled), Views content panes (enabled), Panels In-Place Editor (enabled), Mini panels (enabled), Panel nodes (enabled), Bonus: Panels (enabled)
<input checked="" type="checkbox"/>	Chaos Tools (CTools) AJAX Example	6.x-1.8	Shows how to use the power of Chaos AJAX. Depends on: Chaos tools (enabled)
<input checked="" type="checkbox"/>	Chaos Tools (CTools) Plugin Example	6.x-1.8	Shows how an external module can provide ctools plugins (for Panels, etc.). Depends on: Chaos tools (enabled), Panels (enabled), Page manager (enabled), Advanced help (enabled)
<input checked="" type="checkbox"/>	Custom content panes	6.x-1.8	Create custom, exportable, reusable content panes for applications like Panels. Depends on: Chaos tools (enabled)
<input checked="" type="checkbox"/>	Custom rulesets	6.x-1.8	Create custom, exportable, reusable access rulesets for applications like Panels. Depends on: Chaos tools (enabled)
<input checked="" type="checkbox"/>	Page manager	6.x-1.8	Provides a UI and API to manage pages within the site. Depends on: Chaos tools (enabled) Required by: Chaos Tools (CTools) Plugin Example (enabled)
<input checked="" type="checkbox"/>	Stylizer	6.x-1.8	Create custom styles for applications such as Panels. Depends on: Chaos tools (enabled)
<input checked="" type="checkbox"/>	Views content panes	6.x-1.8	Allows Views content to be used in Panels, Dashboard and other modules which use the CTools Content API. Depends on: Chaos tools (enabled), Views (enabled)

Core - optional

Enabled	Name	Version	Description
<input type="checkbox"/>	Aggregator	6.19	Aggregates syndicated content (RSS, RDF, and Atom feeds).
<input type="checkbox"/>	Blog	6.19	Enables keeping easily and regularly updated user web pages or blogs.
<input type="checkbox"/>	Blog API	6.19	Allows users to post content using applications that support XML-RPC blog APIs.
<input type="checkbox"/>	Book	6.19	Allows users to structure site pages in a hierarchy or outline. Required by: DraggableViews Book handler (disabled)
<input checked="" type="checkbox"/>	Color	6.19	Allows the user to change the color scheme of certain themes.
<input checked="" type="checkbox"/>	Comment	6.19	Allows users to comment on and discuss published content. Required by: Forum (disabled), Tracker (disabled)
<input checked="" type="checkbox"/>	Contact	6.19	Enables the use of both personal and site-wide contact forms. Required by: Contact attach (enabled), Contact Forms (enabled)
<input checked="" type="checkbox"/>	Content translation	6.19	Allows content to be translated into different languages. Depends on: Locale (enabled) Required by: Internationalization (disabled), Internationalization tests (disabled), Poll aggregate (disabled), Translation overview (disabled), Block translation (disabled), CCK translation (disabled), Menu translation (disabled), Synchronize translations (disabled), Taxonomy translation (disabled)
<input checked="" type="checkbox"/>	Database logging	6.19	Logs and records system events to the database.
<input type="checkbox"/>	Forum	6.19	Enables threaded discussions about general topics. Depends on: Taxonomy (enabled), Comment (enabled)
<input checked="" type="checkbox"/>	Help	6.19	Manages the display of online help.
<input checked="" type="checkbox"/>	Locale	6.19	Adds language handling functionality and enables the translation of the user interface to languages other than English. Required by: Internationalization (disabled), Internationalization tests (disabled), String translation (disabled), Language icons (disabled), Content translation (enabled), Block translation (disabled), CCK translation (disabled), Content type translation (disabled), Menu translation (disabled), Poll aggregate (disabled), Profile translation (disabled), Synchronize translations (disabled), Taxonomy translation (disabled), Translation overview (disabled)
<input checked="" type="checkbox"/>	Menu	6.19	Allows administrators to customize the site navigation menu. Required by: Administration menu (enabled), Devel (enabled), Menu translation (disabled), Menu Per Role (enabled), Administration menu Toolbar style (enabled)
<input type="checkbox"/>	OpenID	6.19	Allows users to log into your site using OpenID.
<input checked="" type="checkbox"/>	Path	6.19	Allows users to rename URLs. Required by: Pathauto (enabled), Catalog (enabled)
<input checked="" type="checkbox"/>	PHP filter	6.19	Allows embedded PHP code/snippets to be evaluated.
<input type="checkbox"/>	Ping	6.19	Alerts other sites when your site has been updated.
<input type="checkbox"/>	Poll	6.19	Allows your site to capture votes on different topics in the form of multiple choice questions. Required by: Poll aggregate (disabled)
<input checked="" type="checkbox"/>	Profile	6.19	Supports configurable user profiles. Required by: Profile translation (disabled)
<input checked="" type="checkbox"/>	Search	6.19	Enables site-wide keyword searching.
<input checked="" type="checkbox"/>	Statistics	6.19	Logs access statistics for your site.
<input checked="" type="checkbox"/>	Syslog	6.19	Logs and records system events to syslog.
<input checked="" type="checkbox"/>	Taxonomy	6.19	Enables the categorization of content. Required by: DraggableViews Taxonomy handler (enabled), Forum (disabled), Taxonomy translation (disabled), Image Gallery (disabled), Simplenews (enabled), Taxonomy Find (enabled), Taxonomy Image (disabled), Taxonomy Manager (enabled), Taxonomy Menu (enabled), Taxonomy Menu Hierarchy (enabled), Taxonomy Menu Custom Path (enabled), Taxonomy Menu Vocabulary Path (enabled), Catalog (enabled), Simplenews action (enabled), Taxonomy Image Attach (disabled), Taxonomy Image Blocks (disabled), Taxonomy Image Link Alter (disabled), Taxonomy Image Node Display (disabled)
<input type="checkbox"/>	Throttle	6.19	Handles the auto-throttling mechanism, to control site congestion.
<input type="checkbox"/>	Tracker	6.19	Enables tracking of recent posts for users. Depends on: Comment (enabled)
<input checked="" type="checkbox"/>	Trigger	6.19	Enables actions to be fired on certain system events, such as when new content is created. Required by: Simplenews action (enabled)
<input checked="" type="checkbox"/>	Update status	6.19	Checks the status of available updates for Drupal and your installed modules and themes.
<input checked="" type="checkbox"/>	Upload	6.19	Allows users to upload and attach files to content. Required by: Upload path (enabled)

Core - required

Currency

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	Currency	6.x-1.2	This module provides currency exchange rates. Depends on: Currency API (enabled)
<input checked="" type="checkbox"/>	Currency API	6.x-1.2	This module provides an API for currency conversion. Required by: Currency (enabled)

Development

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	Devel	6.x-1.22	Various blocks, pages, and functions for developers. Depends on: Menu (enabled)
<input checked="" type="checkbox"/>	Devel generate	6.x-1.22	Generate dummy users, nodes, and taxonomy terms.
<input checked="" type="checkbox"/>	Devel node access	6.x-1.22	Developer block and page illustrating relevant node_access records.
<input checked="" type="checkbox"/>	Performance Logging	6.x-1.22	Logs detailed and/or summary page generation time and memory consumption for page requests.
<input type="checkbox"/>	SimpleTest	6.x-2.10	Provides a framework for unit and functional testing. Required by: Rules Simpletest (enabled)
<input checked="" type="checkbox"/>	Variable Changes	6.x-1.0-beta1	Allow to know what variables have been modified since the last backup

Drupal Tweaks

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	Database tweaks	6.x-1.x-dev	Database tweaks module for additional MySQL settings
<input checked="" type="checkbox"/>	Drupal tweaks	6.x-1.x-dev	Drupal tweaks module for additional functionality Required by: form2block (enabled), Inline Msg (enabled)
<input checked="" type="checkbox"/>	form2block	6.x-1.x-dev	Convert any form or node into block Depends on: Drupal tweaks (enabled)
<input checked="" type="checkbox"/>	Inline Msg	6.x-1.x-dev	Move validation messages above the form elements. Depends on: Drupal tweaks (enabled)

Easy Module

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	Whizzywig	6.x-2.0-beta6	Enables whizzywig editor. Fastest and smallest WYSIWYG editor but features rich. Including Image Browser, resize image, rename image, and create Sub-folder.

Google Fonts

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	Google Fonts	6.x-1.6	Make use of Open Source fonts using the Google Fonts API Required by: Google Fonts Ui (enabled)
<input checked="" type="checkbox"/>	Google Fonts Ui	6.x-1.6	Provides an interface to apply Google Fonts using CSS selectors Depends on: Google Fonts (enabled)

Image

Enabled	Name	Version	Description
<input type="checkbox"/>	Image	6.x-1.0	Allows uploading, resizing and viewing of images. Required by: Image Attach (disabled), Image Gallery (disabled), Image Import (disabled), Taxonomy Image Attach (disabled)
<input type="checkbox"/>	Image Attach	6.x-1.0	Allows easy attaching of image nodes to other content types. Depends on: Image (disabled) Required by: Taxonomy Image Attach (disabled)
<input type="checkbox"/>	Image Gallery	6.x-1.0	Allows sorting and displaying of image galleries based on categories. Depends on: Image (disabled), Taxonomy (enabled)
<input type="checkbox"/>	Image Import	6.x-1.0	Allows batches of images to be imported from a directory on the server. Depends on: Image (disabled)
<input type="checkbox"/>	ImageMagick Advanced Options	6.x-1.0	Adds advanced options to the ImageMagick image toolkit.

ImageCache

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	IM raw	6.x-1.2	Adds an imagecache action that allows raw imagemagick commands to be used. Depends on: ImageAPI (enabled), ImageCache (enabled)
<input checked="" type="checkbox"/>	ImageAPI	6.x-1.9	ImageAPI supporting multiple toolkits. Required by: IM raw (enabled), ImageCache (enabled), Imagecache Canvas Actions (enabled), Imagecache Color Actions (enabled), ImageCache UI (enabled), Imagecache Autorotate (enabled), Imagecache Custom Actions (enabled), Imagecache Test Suite (enabled), Imagecache Text Actions (disabled), Imagecache Text Rendering (disabled), Option Images (enabled)
<input checked="" type="checkbox"/>	ImageAPI GD2	6.x-1.9	Uses PHP's built-in GD2 image processing support.
<input checked="" type="checkbox"/>	ImageAPI ImageMagick	6.x-1.9	Command Line ImageMagick support.
<input checked="" type="checkbox"/>	ImageCache	6.x-2.0-beta10	Dynamic image manipulator and cache. Depends on: ImageAPI (enabled) Required by: IM raw (enabled), Imagecache Autorotate (enabled), Imagecache Canvas Actions (enabled), Imagecache Color Actions (enabled), Imagecache Custom Actions (enabled), Imagecache Test Suite (enabled), Imagecache Text Actions (disabled), Imagecache Text Rendering (disabled), ImageCache UI (enabled), Option Images (enabled)
<input checked="" type="checkbox"/>	Imagecache Autorotate	6.x-2.0	Autorotate image based on EXIF Orientation. Depends on: ImageCache (enabled), ImageAPI (enabled)
<input checked="" type="checkbox"/>	Imagecache Canvas Actions	6.x-2.0	Actions for manipulating image canvases layers, including watermark and background effect. Also an aspect switcher (portrait/landscape) Depends on: ImageCache (enabled), ImageAPI (enabled)
<input checked="" type="checkbox"/>	Imagecache Color Actions	6.x-2.0	Additional ImageCache actions, providing color-shifting, brightness and alpha transparency effects. Depends on: ImageCache (enabled), ImageAPI (enabled)
<input checked="" type="checkbox"/>	Imagecache Custom Actions	6.x-2.0	Allow direct PHP code manipulation of imagecache images. Depends on: ImageCache (enabled), ImageAPI (enabled)
<input checked="" type="checkbox"/>	Imagecache Test Suite	6.x-2.0	Displays a collection of demo presets. Depends on: ImageCache (enabled), ImageAPI (enabled)
<input type="checkbox"/>	Imagecache Text Actions	6.x-2.0	DEPRECATED: Display simple or dynamic captions on images. (migrate your settings to imagecache_textrenderer) Depends on: ImageCache (enabled), ImageAPI (enabled)
<input type="checkbox"/>	Imagecache Text Rendering	6.x-2.0	Display simple or dynamic captions on images, with formatting and layout. Depends on: ImageCache (enabled), Imageapi_text (missing), ImageAPI (enabled)
<input checked="" type="checkbox"/>	ImageCache UI	6.x-2.0-beta10	ImageCache User Interface. Depends on: ImageCache (enabled), ImageAPI (enabled)

Mail

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	Mass Contact	6.x-1.0	Enables site administrator or privileged users to send mass e-mails to registered users. (This module will take advantage of the Token module, if it is installed and enabled, but does not require it.)
<input checked="" type="checkbox"/>	Simplenews	6.x-1.3	Send newsletters to subscribed email addresses. Depends on: Taxonomy (enabled) Required by: Simplenews action (enabled)
<input checked="" type="checkbox"/>	Simplenews action	6.x-1.3	Provide actions for Simplenews. Depends on: Simplenews (enabled), Trigger (enabled), Taxonomy (enabled)

Multilanguage

Enabled	Name	Version	Description
<input type="checkbox"/>	Block translation	6.x-1.7	Enables multilingual blocks and block translation. Depends on: Internationalization (disabled), String translation (disabled), Locale (enabled), Content translation (enabled) Required by: Menu translation (disabled)
<input type="checkbox"/>	CCK translation	6.x-1.7	Supports translatable custom CCK fields and fieldgroups. Depends on: Internationalization (disabled), Content (enabled), String translation (disabled), Locale (enabled), Content translation (enabled)
<input type="checkbox"/>	Content type translation	6.x-1.7	Add multilingual options for content and translate related strings: name, description, help text... Depends on: String translation (disabled), Locale (enabled)
<input type="checkbox"/>	Internationalization	6.x-1.7	Extends Drupal support for multilingual features. Depends on: Locale (enabled), Content translation (enabled) Required by: Internationalization tests (disabled), Block translation (disabled), CCK translation (disabled), Menu translation (disabled), Synchronize translations (disabled), Taxonomy translation (disabled)
<input type="checkbox"/>	Language icons	6.x-2.0	Adds icons to language links. Depends on: Locale (enabled)
<input type="checkbox"/>	Menu translation	6.x-1.7	Supports translatable custom menu items. Depends on: Internationalization (disabled), Menu (enabled), Block translation (disabled), String translation (disabled), Locale (enabled), Content translation (enabled)
<input type="checkbox"/>	Poll aggregate	6.x-1.7	Aggregates poll results for all translations. Depends on: Content translation (enabled), Poll (disabled), Locale (enabled)
<input type="checkbox"/>	Profile translation	6.x-1.7	Enables multilingual profile fields. Depends on: Profile (enabled), String translation (disabled), Locale (enabled)
<input type="checkbox"/>	String translation	6.x-1.7	Provides support for translation of user defined strings. Depends on: Locale (enabled) Required by: Block translation (disabled), CCK translation (disabled), Content type translation (disabled), Menu translation (disabled), Profile translation (disabled), Taxonomy translation (disabled)
<input type="checkbox"/>	Synchronize translations	6.x-1.7	Synchronizes taxonomy and fields across translations of the same content. Depends on: Internationalization (disabled), Locale (enabled), Content translation (enabled)
<input type="checkbox"/>	Taxonomy translation	6.x-1.7	Enables multilingual taxonomy. Depends on: Internationalization (disabled), Taxonomy (enabled), String translation (disabled), Locale (enabled), Content translation (enabled)
<input type="checkbox"/>	Translation overview	6.x-2.4	Provides an overview of the translation status of the site's content. Depends on: Content translation (enabled), Locale (enabled)

Other

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	Advanced help	6.x-1.2	Allow advanced help and documentation. Required by: Chaos Tools (CTools) Plugin Example (enabled), Advanced help example (enabled)
<input checked="" type="checkbox"/>	Advanced help example	6.x-1.2	A example help module to demonstrate the advanced help module. Depends on: Advanced help (enabled)
<input checked="" type="checkbox"/>	Arrange Fields	6.x-1.1	Arrange CCK, Webform, and other form fields using drag-and-drop. Depends on: JQuery UI (enabled)
<input type="checkbox"/>	Attributes in cart	6.x-1.2	Allow users to modify attributes of Ubercart products directly in their cart. Depends on: Cart (enabled), Attribute (enabled), Conditional Actions (enabled), Order (enabled), Product (enabled), Store (enabled), Token (enabled)
<input checked="" type="checkbox"/>	Backup and Migrate	6.x-2.4	Backup or migrate the Drupal Database quickly and without unnecessary data.
<input checked="" type="checkbox"/>	Block Class	6.x-1.3	Allows assigning CSS classes to blocks.
<input checked="" type="checkbox"/>	Contact attach	6.x-1.x-dev	Gives users the ability of attaching one or more files to e-mails sent using the site-wide contact form and/or the users' individual contact form. Depends on: Contact (enabled)
<input checked="" type="checkbox"/>	Contact Forms	6.x-1.12	Creates individual contact pages from contact form categories. Depends on: Contact (enabled)
<input checked="" type="checkbox"/>	Diff	6.x-2.1	Show difference between node revisions.
<input checked="" type="checkbox"/>	Excerpt	6.x-1.1	Allows authors to manually control the teaser for a node.
<input checked="" type="checkbox"/>	getID3()	6.x-1.4	getID3() extracts useful information from multimedia file formats. Required by: FileField Meta (enabled)
<input checked="" type="checkbox"/>	Lightbox2	6.x-1.11	Enables Lightbox2 for Drupal
<input checked="" type="checkbox"/>	LoginToboggan	6.x-1.7	Improves Drupal's login system. Required by: LoginToboggan Rules Integration (enabled)
<input checked="" type="checkbox"/>	LoginToboggan Rules Integration	6.x-1.7	Integrates LoginToboggan with Rules module Depends on: LoginToboggan (enabled), Rules (enabled)
<input checked="" type="checkbox"/>	Menu Per Role	6.x-1.8	Allows restricting access to menu items per role. Depends on: Menu (enabled)
<input checked="" type="checkbox"/>	Module hierarchy	6.x-1.x-dev	Provides an admin page showing a hierarchy of modules.
<input checked="" type="checkbox"/>	No IE6	6.x-1.3	Stops Internet Explorer 6 users from visiting your site. Let your visitors know why they can't use IE6 in your website and why they should choose another browser.
<input checked="" type="checkbox"/>	Pathauto	6.x-1.5	Provides a mechanism for modules to automatically generate aliases for the content they manage. Depends on: Path (enabled), Token (enabled)
<input checked="" type="checkbox"/>	Site map	6.x-2.2	Display a site map.
<input checked="" type="checkbox"/>	Strongarm	6.x-2.0	Enforces variable values defined by modules that need settings set to operate properly. Depends on: Chaos tools (enabled)
<input checked="" type="checkbox"/>	Taxonomy Manager	6.x-2.2	Tool for administrating taxonomy terms. Depends on: Taxonomy (enabled)
<input type="checkbox"/>	TinyMCE	6.x-1.1-dev	The most popular WYSIWYG editor for advanced content editing.
<input checked="" type="checkbox"/>	Token	6.x-1.15	Provides a shared API for replacement of textual placeholders with actual data. Required by: Pathauto (enabled), TokenSTARTER (enabled), Token actions (enabled), Order (enabled), Upload path (enabled), Ubercart Addresses (enabled), Cart (enabled), Cart Links (enabled), Store Coupons (enabled), Store Coupon Purchase (disabled), Discount Framework (enabled), File Downloads (enabled), Google Checkout (disabled), Google Analytics for Ubercart (enabled), Payment (enabled), Payment Method Pack (enabled), PayPal (enabled), Shipping Quotes (enabled), Reports (enabled), Roles (enabled), Shipping (enabled), Stock (enabled), Stock Notify (enabled), Tax Report (disabled), Taxes (enabled), UPS (disabled), U.S. Postal Service (disabled), Weight quote (enabled), Who Bought What (enabled), Test Gateway (enabled), 2Checkout (disabled), Ajax Driven Cart (enabled), Attributes in cart (disabled), Australia Post (enabled), Authorize.net (disabled), Credit Card (enabled), CyberSource (disabled), FedEx (enabled), Fees (enabled), Flatrate (enabled), GST (disabled), stock manager with attributes (enabled)
<input checked="" type="checkbox"/>	Token actions	6.x-1.15	Provides enhanced versions of core Drupal actions using the Token module. Depends on: Token (enabled)
<input checked="" type="checkbox"/>	TokenSTARTER	6.x-1.15	Provides additional tokens and a base on which to build your own tokens. Depends on: Token (enabled)
<input checked="" type="checkbox"/>	Transliteration	6.x-3.0	Converts non-latin text to US-ASCII and sanitizes file names.
<input checked="" type="checkbox"/>	Upload path	6.x-1.0	Organize uploaded files according to admin-specified rules. Depends on: Upload (enabled), Token (enabled)

Panels

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	Mini panels	6.x-3.8	Create mini panels that can be used as blocks by Drupal and panes by other panel modules. Depends on: Panels (enabled), Chaos tools (enabled)
<input checked="" type="checkbox"/>	Panel nodes	6.x-3.8	Create nodes that are divided into areas with selectable content. Depends on: Panels (enabled), Chaos tools (enabled)
<input checked="" type="checkbox"/>	Panels	6.x-3.8	Core Panels display functions; provides no external UI, at least one other Panels module should be enabled. Depends on: Chaos tools (enabled) Required by: Chaos Tools (CTools) Plugin Example (enabled), Panels In-Place Editor (enabled), Mini panels (enabled), Panel nodes (enabled), Bonus: Panels (enabled)
<input checked="" type="checkbox"/>	Panels In-Place Editor	6.x-3.8	Provide a UI for managing some Panels directly on the frontend, instead of having to use the backend. Depends on: Panels (enabled), jQuery UI (enabled), Chaos tools (enabled)

Printer, e-mail and PDF versions

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	PDF version	6.x-1.12	Adds the capability to export pages as PDF. Depends on: Printer-friendly pages (enabled)
<input checked="" type="checkbox"/>	Printer-friendly pages	6.x-1.12	Adds a printer-friendly version link to content and administrative pages. Required by: Send by e-mail (enabled), PDF version (enabled)
<input checked="" type="checkbox"/>	Send by e-mail	6.x-1.12	Provides the capability to send the web page by e-mail Depends on: Printer-friendly pages (enabled)

Rules

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	Rules	6.x-1.3	Lets you define conditionally executed actions based on occurring events. Required by: LoginToboggan Rules Integration (enabled), Rules Administration UI (enabled), Rules Forms support (enabled), Rules Scheduler (enabled), Rules Simpletest (enabled)
<input checked="" type="checkbox"/>	Rules Administration UI	6.x-1.3	Provides the administration UI for rules. Depends on: Rules (enabled)
<input checked="" type="checkbox"/>	Rules Forms support	6.x-1.3	Provides events, conditions and actions for rule-based form customization. Depends on: Rules (enabled)
<input checked="" type="checkbox"/>	Rules Scheduler	6.x-1.3	Schedule the execution of rule sets. Depends on: Rules (enabled)
<input checked="" type="checkbox"/>	Rules Simpletest	6.x-1.3	Tests the functionality of the rule engine Depends on: SimpleTest (disabled), Rules (enabled)

Statistics

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	Google Analytics	6.x-3.0	Adds Google Analytics javascript tracking code to all your site's pages. Required by: Google Analytics for Ubercart (enabled)

Taxonomy

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	Taxonomy Find	6.x-1.1	Provides a search interface for large taxonomies. Depends on: Taxonomy (enabled)

Taxonomy Image

Enabled	Name	Version	Description
<input type="checkbox"/>	Taxonomy Image	6.x-1.6	Upload and associate images with taxonomy terms. Depends on: Taxonomy (enabled) Required by: Taxonomy Image Attach (disabled), Taxonomy Image Blocks (disabled), Taxonomy Image Link Alter (disabled), Taxonomy Image Node Display (disabled)
<input type="checkbox"/>	Taxonomy Image Attach	6.x-1.6	Support re-use of existing image nodes as taxonomy images. Depends on: Taxonomy Image (disabled), Image Attach (disabled), Taxonomy (enabled), Image (disabled)
<input type="checkbox"/>	Taxonomy Image Blocks	6.x-1.6	Provides blocks for Taxonomy Image. Depends on: Taxonomy Image (disabled), Taxonomy (enabled)
<input type="checkbox"/>	Taxonomy Image Link Alter	6.x-1.6	Modify taxonomy term links to use Taxonomy Image. Depends on: Taxonomy Image (disabled), Taxonomy (enabled)
<input type="checkbox"/>	Taxonomy Image Node Display	6.x-1.6	Display taxonomy images in nodes where and when you want them. Depends on: Taxonomy Image (disabled), Taxonomy (enabled)

Taxonomy Menu

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	Taxonomy Menu	6.x-2.9	Adds links to taxonomy terms to a menu. Depends on: Taxonomy (enabled) Required by: Taxonomy Menu Hierarchy (enabled), Taxonomy Menu Custom Path (enabled), Taxonomy Menu Vocabulary Path (enabled)
<input checked="" type="checkbox"/>	Taxonomy Menu Custom Path	6.x-2.9	Enables Custom path base to Taxonomy Menu. Depends on: Taxonomy (enabled), Taxonomy Menu (enabled)
<input checked="" type="checkbox"/>	Taxonomy Menu Hierarchy	6.x-2.9	Enables Hierarchy path to Taxonomy Menu. Depends on: Taxonomy (enabled), Taxonomy Menu (enabled)
<input checked="" type="checkbox"/>	Taxonomy Menu Vocabulary Path	6.x-2.9	Enables a custom path for each vocabulary through Taxonomy Menu. Depends on: Taxonomy (enabled), Taxonomy Menu (enabled)

Testing

Enabled	Name	Version	Description
<input type="checkbox"/>	Internationalization tests	6.x-1.7	Helper module for testing i18n (do not enable manually) Depends on: Locale (enabled), Content translation (enabled), Internationalization (disabled)

Ubercart - core

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	Cart	6.x-2.4	<p>REQUIRED. Controls the shopping cart for an Ubercart e-commerce site. Depends on: Conditional Actions (enabled), Order (enabled), Product (enabled), Token (enabled), Store (enabled)</p> <p>Required by: Ajax Driven Cart (enabled), Attributes in cart (disabled), Cart Links (enabled), Store Coupons (enabled), Google Checkout (disabled), Google Analytics for Ubercart (enabled), Payment Method Pack (enabled), Shipping Quotes (enabled), Australia Post (enabled), Store Coupon Purchase (disabled), FedEx (enabled), Flatrate (enabled), Shipping (enabled), UPS (disabled), U.S. Postal Service (disabled), Weight quote (enabled)</p>
<input checked="" type="checkbox"/>	Conditional Actions	6.x-2.4	<p>REQUIRED. Create conditional action configurations for taxes, shipping, and more! Required by: Cart (enabled), Discount Framework (enabled), Fees (enabled), Order (enabled), Payment (enabled), Shipping Quotes (enabled), Stock (enabled), Taxes (enabled), Test Gateway (enabled), 2Checkout (disabled), Ubercart Addresses (enabled), Ajax Driven Cart (enabled), Attributes in cart (disabled), Australia Post (enabled), Authorize.net (disabled), Cart Links (enabled), Store Coupons (enabled), Store Coupon Purchase (disabled), Credit Card (enabled), CyberSource (disabled), FedEx (enabled), File Downloads (enabled), Flatrate (enabled), Google Checkout (disabled), Google Analytics for Ubercart (enabled), GST (disabled), stock manager with attributes (enabled), Payment Method Pack (enabled), PayPal (enabled), Reports (enabled), Roles (enabled), Shipping (enabled), Stock Notify (enabled), Tax Report (disabled), UPS (disabled), U.S. Postal Service (disabled), Weight quote (enabled), Who Bought What (enabled)</p>
<input checked="" type="checkbox"/>	Order	6.x-2.4	<p>REQUIRED. Receive and manage orders through your website. Depends on: Conditional Actions (enabled), Token (enabled)</p> <p>Required by: Ubercart Addresses (enabled), Cart (enabled), Discount Framework (enabled), File Downloads (enabled), Google Analytics for Ubercart (enabled), Payment (enabled), Reports (enabled), Roles (enabled), Test Gateway (enabled), 2Checkout (disabled), Ajax Driven Cart (enabled), Attributes in cart (disabled), Authorize.net (disabled), Cart Links (enabled), Store Coupons (enabled), Store Coupon Purchase (disabled), Credit Card (enabled), CyberSource (disabled), Fees (enabled), Google Checkout (disabled), Payment Method Pack (enabled), PayPal (enabled), Shipping Quotes (enabled), Shipping (enabled), Stock (enabled), Stock Notify (enabled), Tax Report (disabled), Taxes (enabled), UPS (disabled), U.S. Postal Service (disabled), Weight quote (enabled), Who Bought What (enabled), Australia Post (enabled), FedEx (enabled), Flatrate (enabled), GST (disabled), stock manager with attributes (enabled)</p>
<input checked="" type="checkbox"/>	Product	6.x-2.4	<p>REQUIRED. A module to represent items in an online store. Imagecache and CCK Image field recommended. Depends on: Store (enabled)</p> <p>Required by: Attribute (enabled), Attribute Stock Filter (enabled), Cart (enabled), Catalog (enabled), Discount Framework (enabled), Fees (enabled), File Downloads (enabled), Product Kit (enabled), Reports (enabled), Roles (enabled), Stock (enabled), Taxes (enabled), Ajax Attribute Calculations (disabled), Ajax Driven Cart (enabled), Attributes in cart (disabled), Cart Links (enabled), Store Coupons (enabled), Store Coupon Purchase (disabled), Dependent Attributes (disabled), Google Checkout (disabled), Google Analytics for Ubercart (enabled), GST (disabled), stock manager with attributes (enabled), Option Images (enabled), Payment Method Pack (enabled), Shipping Quotes (enabled), Shipping (enabled), Stock Notify (enabled), Tax Report (disabled), UPS (disabled), U.S. Postal Service (disabled), Weight quote (enabled), Who Bought What (enabled), Australia Post (enabled), FedEx (enabled), Flatrate (enabled)</p>
<input checked="" type="checkbox"/>	Store	6.x-2.4	<p>REQUIRED. Setup the store settings and manage your Ubercart site. Required by: Ubercart Addresses (enabled), Attribute Stock Filter (enabled), Credit Card (enabled), Fees (enabled), Google Analytics for Ubercart (enabled), Payment (enabled), Product (enabled), Stock (enabled), Taxes (enabled), Test Gateway (enabled), 2Checkout (disabled), Attribute (enabled), Attributes in cart (disabled), Authorize.net (disabled), Cart (enabled), Cart Links (enabled), Catalog (enabled), Store Coupons (enabled), Store Coupon Purchase (disabled), CyberSource (disabled), Discount Framework (enabled), File Downloads (enabled), Google Checkout (disabled), GST (disabled), stock manager with attributes (enabled), Option Images (enabled), Payment Method Pack (enabled), PayPal (enabled), Product Kit (enabled), Shipping Quotes (enabled), Reports (enabled), Roles (enabled), Shipping (enabled), Stock Notify (enabled), Tax Report (disabled), UPS (disabled), U.S. Postal Service (disabled), Weight quote (enabled), Who Bought What (enabled), Ajax Attribute Calculations (disabled), Ajax Driven Cart (enabled), Australia Post (enabled), Dependent Attributes (disabled), FedEx (enabled), Flatrate (enabled)</p>

Ubercart - core (optional)

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	Attribute	6.x-2.4	Extends product content type to support product variations. Allows customers to select these product attributes before purchase. Depends on: Product (enabled), Store (enabled) Required by: Ajax Attribute Calculations (disabled), Attribute Stock Filter (enabled), Attributes in cart (disabled), Option Images (enabled), Dependent Attributes (disabled)
<input checked="" type="checkbox"/>	Catalog	6.x-2.4	Display a hierarchical product catalog page and block. Depends on: Path (enabled), Taxonomy (enabled), Product (enabled), Store (enabled)
<input type="checkbox"/>	Dependent Attributes	6.x-1.x-dev	Specify which attribute/option combinations to enable/disable on a per product basis. Depends on: Ajax Attribute Calculations (disabled), Attribute (enabled), Product (enabled), Store (enabled)
<input checked="" type="checkbox"/>	File Downloads	6.x-2.4	Allows products to be associated with downloadable files. Depends on: Product (enabled), Order (enabled), Store (enabled), Conditional Actions (enabled), Token (enabled)
<input checked="" type="checkbox"/>	Option Images	6.x-1.4	Allows users to upload images per attribute option. Depends on: Attribute (enabled), ImageCache (enabled), Product (enabled), Store (enabled), ImageAPI (enabled)
<input checked="" type="checkbox"/>	Payment	6.x-2.4	Defines an API to let payment modules interact with the cart. Depends on: Conditional Actions (enabled), Order (enabled), Store (enabled), Token (enabled) Required by: Test Gateway (enabled), 2Checkout (disabled), Authorize.net (disabled), Credit Card (enabled), CyberSource (disabled), Fees (enabled), Google Checkout (disabled), Payment Method Pack (enabled), PayPal (enabled), Taxes (enabled), GST (disabled), Tax Report (disabled)
<input checked="" type="checkbox"/>	Reports	6.x-2.4	View reports about your store's sales, customers, and products. Depends on: Order (enabled), Product (enabled), Conditional Actions (enabled), Token (enabled), Store (enabled) Required by: Stock (enabled), Tax Report (disabled), Who Bought What (enabled), stock manager with attributes (enabled), Stock Notify (enabled)
<input checked="" type="checkbox"/>	Roles	6.x-2.4	Assign permanent or expirable roles based on product purchases. Depends on: Product (enabled), Order (enabled), Store (enabled), Conditional Actions (enabled), Token (enabled)
<input checked="" type="checkbox"/>	Shipping	6.x-2.4	Gets products ready for physical shipment. Depends on: Shipping Quotes (enabled), Cart (enabled), Conditional Actions (enabled), Order (enabled), Product (enabled), Token (enabled), Store (enabled)
<input checked="" type="checkbox"/>	Shipping Quotes	6.x-2.4	Retrieve and display quotes for shipping products. Depends on: Cart (enabled), Conditional Actions (enabled), Order (enabled), Product (enabled), Token (enabled), Store (enabled) Required by: Australia Post (enabled), FedEx (enabled), Flatrate (enabled), Shipping (enabled), UPS (disabled), U.S. Postal Service (disabled), Weight quote (enabled)
<input type="checkbox"/>	Tax Report	6.x-2.4	View a report about sales tax your customers paid. Depends on: Reports (enabled), Taxes (enabled), Order (enabled), Product (enabled), Conditional Actions (enabled), Token (enabled), Store (enabled), Payment (enabled)
<input checked="" type="checkbox"/>	Taxes	6.x-2.4	Define tax rates for customers' geographic locations and products sold. Depends on: Store (enabled), Payment (enabled), Product (enabled), Conditional Actions (enabled), Order (enabled), Token (enabled) Required by: GST (disabled), Tax Report (disabled)

Ubercart - discounts

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	Discount Framework	6.x-1.x-dev	Framework allowing you to configure discounts through Conditional Actions. Depends on: Conditional Actions (enabled), Order (enabled), Product (enabled), Token (enabled), Store (enabled)

Ubercart - extra

Enabled	Name	Version	Description
<input type="checkbox"/>	Ajax Attribute Calculations	6.x-2.1	Allows product information on the product screens to be updated via Ajax. Depends on: Attribute (enabled), Product (enabled), Store (enabled) Required by: Dependent Attributes (disabled)
<input checked="" type="checkbox"/>	Ajax Driven Cart	6.x-2.x-dev	Ajax Driven Cart Depends on: Cart (enabled), Conditional Actions (enabled), Order (enabled), Product (enabled), Token (enabled), Store (enabled)
<input checked="" type="checkbox"/>	Attribute Stock Filter	6.x-1.0-beta13	Hides out-of-stock attribute combinations on product pages Depends on: Product (enabled), Store (enabled), Attribute (enabled)
<input checked="" type="checkbox"/>	Cart Links	6.x-2.4	Create specialized links to purchase products from other nodes. Depends on: Cart (enabled), Conditional Actions (enabled), Order (enabled), Product (enabled), Token (enabled), Store (enabled)
<input checked="" type="checkbox"/>	Fees	6.x-1.0-beta2	Ubercart fees Depends on: Store (enabled), Payment (enabled), Product (enabled), Conditional Actions (enabled), Order (enabled), Token (enabled)
<input checked="" type="checkbox"/>	Google Analytics for Ubercart	6.x-2.4	Adds e-commerce tracking for Ubercart to the Google Analytics module. Depends on: Google Analytics (enabled), Cart (enabled), Order (enabled), Store (enabled), Conditional Actions (enabled), Product (enabled), Token (enabled)
<input type="checkbox"/>	GST	6.x-1.5	Add Australian GST pricing / ABN support for Ubercart. Depends on: Taxes (enabled), Store (enabled), Payment (enabled), Product (enabled), Conditional Actions (enabled), Order (enabled), Token (enabled)
<input checked="" type="checkbox"/>	Product Kit	6.x-2.4	This node module represents two or more products that have been listed together. This presents a logical and convenient grouping of items to the customer. Depends on: Product (enabled), Store (enabled)
<input checked="" type="checkbox"/>	Stock	6.x-2.4	Manage stock levels of your Ubercart products Depends on: Conditional Actions (enabled), Product (enabled), Reports (enabled), Store (enabled), Order (enabled), Token (enabled) Required by: stock manager with attributes (enabled), Stock Notify (enabled)
<input checked="" type="checkbox"/>	stock manager with attributes	6.x-1.x-dev	stock manager for ubercart, taking into account the product attributes. Depends on: Stock (enabled), Conditional Actions (enabled), Product (enabled), Reports (enabled), Store (enabled), Order (enabled), Token (enabled)
<input checked="" type="checkbox"/>	Stock Notify	6.x-1.0	Notify customers when products come back into stock Depends on: Stock (enabled), Conditional Actions (enabled), Product (enabled), Reports (enabled), Store (enabled), Order (enabled), Token (enabled)
<input checked="" type="checkbox"/>	Ubercart Addresses	6.x-1.0	Allows users to manage a set of addresses that can be referenced when placing an order. Depends on: Order (enabled), Store (enabled), Conditional Actions (enabled), Token (enabled)
<input checked="" type="checkbox"/>	Who Bought What	6.x-2.10	A shows a list of users who purchased a selected product Depends on: Reports (enabled), Order (enabled), Product (enabled), Conditional Actions (enabled), Token (enabled), Store (enabled)

Ubercart - fulfillment

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	Australia Post		Display shipping rates from Australia Post eDRC Depends on: Shipping Quotes (enabled), Cart (enabled), Conditional Actions (enabled), Order (enabled), Product (enabled), Token (enabled), Store (enabled)
<input checked="" type="checkbox"/>	FedEx	6.x-2.0	Integration of FedEx Web Services API with Ubercart. Depends on: Shipping Quotes (enabled), Cart (enabled), Conditional Actions (enabled), Order (enabled), Product (enabled), Token (enabled), Store (enabled)
<input checked="" type="checkbox"/>	Flatrate	6.x-2.4	Assigns a flat shipping rate to products. Depends on: Shipping Quotes (enabled), Cart (enabled), Conditional Actions (enabled), Order (enabled), Product (enabled), Token (enabled), Store (enabled)
<input type="checkbox"/>	U.S. Postal Service	6.x-2.4	Integration of USPS Rate Calculator and Mail Service Standards Web Tools with Ubercart. Depends on: Shipping Quotes (enabled), Cart (enabled), Conditional Actions (enabled), Order (enabled), Product (enabled), Token (enabled), Store (enabled)
<input type="checkbox"/>	UPS	6.x-2.4	Integration of UPS Rates and Services Selection and Shipping Online Tools with Drupal. See www.ups.com for details. Depends on: Shipping Quotes (enabled), Cart (enabled), Conditional Actions (enabled), Order (enabled), Product (enabled), Token (enabled), Store (enabled)
<input checked="" type="checkbox"/>	Weight quote	6.x-2.4	Assigns a shipping rate to products based on weight. Depends on: Shipping Quotes (enabled), Cart (enabled), Conditional Actions (enabled), Order (enabled), Product (enabled), Token (enabled), Store (enabled)

Ubercart - payment

Enabled	Name	Version	Description
<input type="checkbox"/>	2Checkout	6.x-2.4	Enable to process payments using 2Checkout.com. Depends on: Payment (enabled), Conditional Actions (enabled), Order (enabled), Store (enabled), Token (enabled)
<input type="checkbox"/>	Authorize.net	6.x-2.4	Process payments using Authorize.net. Supports AIM and ARB. Depends on: Payment (enabled), Credit Card (enabled), Conditional Actions (enabled), Order (enabled), Store (enabled), Token (enabled)
<input checked="" type="checkbox"/>	Credit Card	6.x-2.4	Receive credit card payments through checkout. Depends on: Store (enabled), Payment (enabled), Conditional Actions (enabled), Order (enabled), Token (enabled) Required by: Test Gateway (enabled), Authorize.net (disabled), CyberSource (disabled)
<input type="checkbox"/>	CyberSource	6.x-2.4	Enable to process payments using CyberSource Silent Order POST. Depends on: Payment (enabled), Credit Card (enabled), Conditional Actions (enabled), Order (enabled), Store (enabled), Token (enabled)
<input type="checkbox"/>	Google Checkout	6.x-2.4	Integrates Google's Checkout, Merchant Calculated Shipping, and Order Processing APIs. Depends on: Cart (enabled), Payment (enabled), Conditional Actions (enabled), Order (enabled), Product (enabled), Token (enabled), Store (enabled)
<input checked="" type="checkbox"/>	Payment Method Pack	6.x-2.4	Provides the check/money order, COD, and 'other' payment methods. Depends on: Cart (enabled), Payment (enabled), Conditional Actions (enabled), Order (enabled), Product (enabled), Token (enabled), Store (enabled)
<input checked="" type="checkbox"/>	PayPal	6.x-2.4	Integrates various PayPal payment services and IPN feedback. Depends on: Payment (enabled), Conditional Actions (enabled), Order (enabled), Store (enabled), Token (enabled)
<input type="checkbox"/>	Store Coupon Purchase	6.x-1.4	Allows coupons to be purchased as a product feature. Depends on: Store Coupons (enabled), Cart (enabled), Conditional Actions (enabled), Order (enabled), Product (enabled), Token (enabled), Store (enabled)
<input checked="" type="checkbox"/>	Store Coupons	6.x-1.4	Allow administrators to manage store coupons Depends on: Cart (enabled), Conditional Actions (enabled), Order (enabled), Product (enabled), Token (enabled), Store (enabled) Required by: Store Coupon Purchase (disabled)
<input checked="" type="checkbox"/>	Test Gateway	6.x-2.4	Adds a credit card gateway that simulates a successful payment for testing checkout. Depends on: Payment (enabled), Credit Card (enabled), Conditional Actions (enabled), Order (enabled), Store (enabled), Token (enabled)

User interface

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	jQuery UI	6.x-1.4	Provides the jQuery UI plug-in to other Drupal modules. Required by: Arrange Fields (enabled), Panels In-Place Editor (enabled)

Views

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	Bonus: Paged Feed	6.x-1.1	Like a feed display on it pages. How cool! Depends on: Views (enabled)
<input checked="" type="checkbox"/>	Bonus: Panels	6.x-1.1	Various views style plugins to put views nodes in panels Depends on: Views (enabled), Panels (enabled), Chaos tools (enabled)
<input checked="" type="checkbox"/>	Bonus: Views Export	6.x-1.1	Plugin to export views a couple of formats including Comma Separated Values(CSV), Doc or XML Depends on: Views (enabled)
<input checked="" type="checkbox"/>	DraggableViews	6.x-3.5	Makes Views draggable Depends on: Views (enabled) Required by: DraggableViews Book handler (disabled), DraggableViews CCK handler (enabled), DraggableViews Taxonomy handler (enabled)
<input type="checkbox"/>	DraggableViews Book handler	6.x-3.5	Provides Book support. Depends on: DraggableViews (enabled), Book (disabled), Views (enabled)
<input checked="" type="checkbox"/>	DraggableViews CCK handler	6.x-3.5	Provides CCK support for both order fields and parent fields. Depends on: DraggableViews (enabled), Content (enabled), Views (enabled)
<input checked="" type="checkbox"/>	DraggableViews Taxonomy handler	6.x-3.5	Provides Taxonomy support for both order fields and parent fields. Depends on: DraggableViews (enabled), Taxonomy (enabled), Views (enabled)
<input checked="" type="checkbox"/>	Editview	6.x-1.0-beta2	Allows users to add and edit nodes in a view. Depends on: Views (enabled)
<input checked="" type="checkbox"/>	Views	6.x-2.11	Create customized lists and queries from your database. Required by: Administration views (enabled), DraggableViews (enabled), Editview (enabled), Bonus: Views Export (enabled), Bonus: Paged Feed (enabled), Bonus: Panels (enabled), Views Bulk Operations (enabled), Views content panes (enabled), Views exporter (enabled), Views UI (enabled), DraggableViews Book handler (disabled), DraggableViews CCK handler (enabled), DraggableViews Taxonomy handler (enabled)
<input checked="" type="checkbox"/>	Views Bulk Operations	6.x-1.10	Exposes new Views style 'Bulk Operations' for selecting multiple nodes and applying operations on them. Depends on: Views (enabled) Required by: Administration views (enabled)
<input checked="" type="checkbox"/>	Views exporter	6.x-2.11	Allows exporting multiple views at once. Depends on: Views (enabled)
<input checked="" type="checkbox"/>	Views UI	6.x-2.11	Administrative interface to views. Without this module, you cannot create or edit your views. Depends on: Views (enabled)

Save configuration