



Hostmaster

[Home](#)

Code review (submitted options)

[Selection Form](#)[Default](#)[Active](#)[Core](#)[All](#)

Coder found 8 projects, 30 files

Coder found 8 projects, 30 files, 52 *critical* warnings

Coder provides helpful hints without false positives, but offers no guarantee for creating good code. You are the final arbitrar. If in doubt, read the Drupal documentation (see review links below and api.drupal.org).

Use the Selection Form to select options for this code review, or change the [Default Settings](#) and use the [Default](#) tab above.

[Selection Form](#)[profiles/hostmaster/modules/hosting/package/hosting_package.module](#)

hosting_package.module

Line 3: New syntax for [.info files](#) requires core=6.x`dependencies = hosting`Line 28: Parameters to [hook_access\(\)](#) have changed ([Drupal Docs](#))`function hosting_package_access($op, $node) {`Line 32: Parameters to [hook_access\(\)](#) have changed ([Drupal Docs](#))`function hosting_package_release_access($op, $node) {`Line 134: [db_next_id\(\)](#) is deprecated. Use [db_last_insert_id\(\)](#) instead. ([Drupal Docs](#))`$iid = db_next_id("{hosting_package_instance}_iid");`[/Users/adrian/Projects/hosting/hosting/package/hosting_package.install](#)

hosting_package.install

Line 6: Use the new Schema API to create and drop tables rather than [db_query\(\)](#) ([Drupal Docs](#))`db_query("CREATE TABLE {hosting_package} (`Line 16: Use the new Schema API to create and drop tables rather than [db_query\(\)](#) ([Drupal Docs](#))`db_query("CREATE TABLE {hosting_package_release} (`Line 27: Use the new Schema API to create and drop tables rather than [db_query\(\)](#) ([Drupal Docs](#))`db_query("CREATE TABLE {hosting_package_instance} (`Line 35: Use the new Schema API to create and drop tables rather than [db_query\(\)](#) ([Drupal Docs](#))`db_query("CREATE TABLE {hosting_package_languages} (`Line 56: Use the new Schema API to create and drop tables rather than [db_query\(\)](#) ([Drupal Docs](#))`$ret[] = update_sql("CREATE TABLE {hosting_package_languages} (`[profiles/hostmaster/modules/hosting/platform/hosting_platform.module](#)

hosting_platform.module

Line 3: New syntax for [.info files](#) requires core=6.x`dependencies = hosting`Line 31: Parameters to [hook_access\(\)](#) have changed ([Drupal Docs](#))`function hosting_platform_access($op, $node) {`[/Users/adrian/Projects/hosting/hosting/platform/hosting_platform.install](#)

hosting_platform.install

Line 4: Use the new Schema API to create and drop tables rather than db_query() ([Drupal Docs](#))

```
db_query("CREATE TABLE {hosting_platform} (
```

[profiles/hostmaster/modules/hosting/site/hosting_site.module](#)

hosting_site.module

Line 3: New syntax for .info files requires core=6.x

```
dependencies = hosting
```

Line 28: Parameters to hook_access() have changed ([Drupal Docs](#))

```
function hosting_site_access($op, $node) {
```

Line 374: db_next_id() is deprecated. Use db_last_insert_id() instead. ([Drupal Docs](#))

```
$bid = db_next_id("{hosting_site_backups}_bid");
```

Line 429: hook_form_alter() parameters have changed ([Drupal Docs](#))

```
function hosting_site_form_alter($form_id, &$amp;form) {
```

Line 493: The menu system has been completely over-hauled in 6.x. ([Drupal Docs](#))

```
$items[] = array(
```

Line 495: Menu item titles and descriptions should now no longer be wrapped in t() calls. ([Drupal Docs](#))

```
'title' => t('Hosted sites'),
```

Line 496: Menu item titles and descriptions should now no longer be wrapped in t() calls. ([Drupal Docs](#))

```
'description' => t('Display a list of sites'),
```

[/Users/adrian/Projects/hosting/hosting/site/hosting_site.install](#)

hosting_site.install

Line 4: Use the new Schema API to create and drop tables rather than db_query() ([Drupal Docs](#))

```
db_query("CREATE TABLE {hosting_site} (
```

Line 17: Use the new Schema API to create and drop tables rather than db_query() ([Drupal Docs](#))

```
db_query("CREATE TABLE {hosting_site_backups} (
```

[/Users/adrian/Projects/hosting/hosting/site/hosting_site_status.inc](#)

[profiles/hostmaster/modules/hosting/task/hosting_task.module](#)

hosting_task.module

Line 3: New syntax for .info files requires core=6.x

```
dependencies = hosting
```

Line 14: Use menu_get_object() to get an object based on your path ([Drupal Docs](#))

```
$node = node_load(arg(1));
```

Line 15: The menu system has been completely over-hauled in 6.x, and if you are looping, you are probably doing something wrong. ([Drupal Docs](#))

```
foreach (hosting_available_tasks($node) as $type => $task) {
```

Line 16: The menu system has been completely over-hauled in 6.x. ([Drupal Docs](#))

```
$items[] = array(
```

Line 45: Parameters to hook_access() have changed ([Drupal Docs](#))

```
function hosting_task_access($op, $node) {
```

Line 163: The parameters for form validation and submission functions have changed to \$form, &\$form_state. ([Drupal Docs](#))

```
function hosting_task_confirm_form_submit($form_id, $values) {
```

Line 311: db_num_rows() has been deprecated ([Drupal Docs](#))

```
if (db_num_rows($result)) {
```

[/Users/adrian/Projects/hosting/hosting/task/hosting_task.install](#)

hosting_task.install

Line 4: Use the new Schema API to create and drop tables rather than db_query() ([Drupal Docs](#))

```
db_query("CREATE TABLE {hosting_task} (
```

Line 14: Use the new Schema API to create and drop tables rather than db_query() ([Drupal Docs](#))

```
db_query("CREATE TABLE {hosting_task_arguments} (
```

Line 22: Use the new Schema API to create and drop tables rather than db_query() ([Drupal Docs](#))

```
db_query("CREATE TABLE {hosting_task_log} (
```

Line 34: Use the new Schema API to create and drop tables rather than db_query() ([Drupal Docs](#))

```
db_query("CREATE TABLE {hosting_task_queue} (
```

[profiles/hostmaster/modules/hosting/web_server/hosting_web_server.module](#)

hosting_web_server.module

Line 3: New syntax for .info files requires core=6.x

```
dependencies = hosting
```

Line 27: Parameters to hook_access() have changed ([Drupal Docs](#))

```
function hosting_web_server_access($op, $node) {
```

[/Users/adrian/Projects/hosting/hosting/web_server/hosting_web_server.install](#)

hosting_web_server.install

Line 4: Use the new Schema API to create and drop tables rather than db_query() ([Drupal Docs](#))

```
db_query("CREATE TABLE {hosting_web_server} (
```

[profiles/hostmaster/modules/hosting/hosting.module](#)

hosting.module

Line 3: New syntax for .info files requires core=6.x

```
dependencies = provision views views_ui hosting_task hosting_client hosting_db_server hosting_package hosting_platform hosting_site hosting
```

Line 24: The menu system has been completely over-hauled in 6.x. ([Drupal Docs](#))

```
if ($may_cache) {
```

Line 25: The menu system has been completely over-hauled in 6.x. ([Drupal Docs](#))

```
$items[] = array(
```

Line 27: Menu item titles and descriptions should now no longer be wrapped in t() calls. ([Drupal Docs](#))

```
'title' => t('Hosting queues'),
```

Line 28: Menu item titles and descriptions should now no longer be wrapped in t() calls. ([Drupal Docs](#))

```
'description' => t('Configure the frequency that cron, backup and task events are process'),
```

Line 36: The menu system has been completely over-hauled in 6.x. ([Drupal Docs](#))

```
$items[] = array('path' => 'node/add',
```

Line 37: Menu item titles and descriptions should now no longer be wrapped in t() calls. ([Drupal Docs](#))

```
'title' => t('Create content'),
```

Line 45: The menu system has been completely over-hauled in 6.x, and if you are looping, you are probably doing something wrong. ([Drupal Docs](#))

```
foreach ($types as $type) {
```

Line 48: The menu system has been completely over-hauled in 6.x. ([Drupal Docs](#))

```
$items[] = array(
```

Line 49: The node/add/\$type menu items are now auto-generated by the menu system in 6.x. You should not declare them in your menu hook. See [node/add is now menu generation Docs](#))

```
'path' => 'node/add/'. $type_url_str,
```

Line 115: [hook_form_alter\(\)](#) parameters have changed ([Drupal Docs](#))

```
function hosting_form_alter($form_id, &$form) {
```

[/Users/adrian/Projects/hosting/hosting/client/hosting_client.install](#)

hosting_client.install

Line 4: Use the new Schema API to create and drop tables rather than db_query() ([Drupal Docs](#))

```
db_query("CREATE TABLE {hosting_client} (
```

[/Users/adrian/Projects/hosting/hosting/db_server/hosting_db_server.install](#)

hosting_db_server.install

Line 4: Use the new Schema API to create and drop tables rather than db_query() ([Drupal Docs](#))

```
db_query("CREATE TABLE {hosting_db_server} (
```

[/Users/adrian/Projects/hosting/hosting/hosting.install](#)

hosting.install

Line 5: Use the new Schema API to create and drop tables rather than db_query() ([Drupal Docs](#))

```
db_query("CREATE TABLE {hosting_config_template} (
```

[/Users/adrian/Projects/hosting/hosting/hosting.queues.inc](#)

hosting.queues.inc

Line 381: The parameters for form validation and submission functions have changed to \$form, &\$form_state. ([Drupal Docs](#))

```
function hosting_queues_configure_submit($form_id, $values) {
```

[/Users/adrian/Projects/hosting/hosting/hosting.templates.inc](#)

hosting.templates.inc

Line 10: [db_num_rows\(\)](#) has been deprecated ([Drupal Docs](#))

```
if (db_num_rows($result)) {
```

Line 43: [db_num_rows\(\)](#) has been deprecated ([Drupal Docs](#))

```
if (db_num_rows($result)) {
```

[/Users/adrian/Projects/hosting/hosting/hosting.wizard.inc](#)

hosting.wizard.inc

Line 81: The menu system has been completely over-hauled in 6.x. ([Drupal Docs](#))

```
$items[] = array(
```

Line 83: Menu item titles and descriptions should now no longer be wrapped in t() calls. ([Drupal Docs](#))

```
'title' => t('Hosting wizard'),
```

Line 84: Menu item titles and descriptions should now no longer be wrapped in t() calls. ([Drupal Docs](#))

```
'description' => t('Configuration wizard'),
```

Line 95: The menu system has been completely over-hauled in 6.x, and if you are looping, you are probably doing something wrong. ([Drupal Docs](#))

```
foreach ($steps as $key => $step) {
```

Line 188: The parameters for form validation and submission functions have changed to \$form, &\$form_state. ([Drupal Docs](#))

```
function hosting_wizard_account_validate($form_id, $values, $form) {
```

Line 196: The parameters for form validation and submission functions have changed to \$form, &\$form_state. ([Drupal Docs](#))

```
function hosting_wizard_account_submit($form_id, $values) {
```

Line 259: The parameters for form validation and submission functions have changed to \$form, &\$form_state. ([Drupal Docs](#))

```
function hosting_wizard_provision_paths_submit($form_id, $values) {
```

Line 321: The parameters for form validation and submission functions have changed to \$form, &\$form_state. ([Drupal Docs](#))

```
function hosting_wizard_provision_web_submit($form_id, $values) {
```

Line 379: The parameters for form validation and submission functions have changed to \$form, &\$form_state. ([Drupal Docs](#))

```
function hosting_wizard_provision_db_submit($form_id, $values) {
```

Line 502: The parameters for form validation and submission functions have changed to \$form, &\$form_state. ([Drupal Docs](#))

```
function hosting_wizard_hosting_features_submit($form_id, $values) {
```

Line 570: \$form['#submit'] and \$form['#validate'] no longer support custom parameters ([Drupal Docs](#))

```
  $form['#submit']['hosting_wizard_' . str_replace('/', '_', $step) . '_submit'] = array();
```

Line 571: \$form['#submit'] and \$form['#validate'] no longer support custom parameters ([Drupal Docs](#))

```
  $form['#submit']['hosting_wizard_form_submit'] = array();
```

Line 597: The parameters for form validation and submission functions have changed to \$form, &\$form_state. ([Drupal Docs](#))

```
function hosting_wizard_form_submit($form_id, $values) {
```

Line 606: Submit handlers use \$form_state rather than returning urls ([Drupal Docs](#))

```
  return variable_get('site_frontpage', 'node');
```

[/Users/adrian/Projects/hosting/hosting/hosting_help.inc](#)

hosting_help.inc

Line 9: The arguments to [hook_help\(\)](#) have changed ([Drupal Docs](#))

```
function hosting_help($section) {
```

Line 161: The arguments to [hook_help\(\)](#) have changed ([Drupal Docs](#))

```
function hosting_node_help($type) {
```

[/Users/adrian/Projects/hosting/hosting/package/hosting_package.install](#)

hosting_package.install

Line 6: Use the new Schema API to create and drop tables rather than db_query() ([Drupal Docs](#))

```
db_query("CREATE TABLE {hosting_package} (
```

Line 16: Use the new Schema API to create and drop tables rather than db_query() ([Drupal Docs](#))

```
db_query("CREATE TABLE {hosting_package_release} (
```

Line 27: Use the new Schema API to create and drop tables rather than db_query() ([Drupal Docs](#))

```
db_query("CREATE TABLE {hosting_package_instance} (
```

Line 35: Use the new Schema API to create and drop tables rather than db_query() ([Drupal Docs](#))

```
db_query("CREATE TABLE {hosting_package_languages} (
```

Line 56: Use the new Schema API to create and drop tables rather than db_query() ([Drupal Docs](#))

```
$ret[] = update_sql("CREATE TABLE {hosting_package_languages} (
```

[/Users/adrian/Projects/hosting/hosting/platform/hosting_platform.install](#)

hosting_platform.install

Line 4: Use the new Schema API to create and drop tables rather than db_query() ([Drupal Docs](#))

```
db_query("CREATE TABLE {hosting_platform} (
```

[/Users/adrian/Projects/hosting/hosting/site/hosting_site.install](#)

hosting_site.install

Line 4: Use the new Schema API to create and drop tables rather than db_query() ([Drupal Docs](#))

```
db_query("CREATE TABLE {hosting_site} (
```

Line 17: Use the new Schema API to create and drop tables rather than db_query() ([Drupal Docs](#))

```
db_query("CREATE TABLE {hosting_site_backups} (
```

[/Users/adrian/Projects/hosting/hosting/site/hosting_site_status.inc](#)

[/Users/adrian/Projects/hosting/hosting/stats/hosting_stats.install](#)

hosting_stats.install

Line 4: Use the new Schema API to create and drop tables rather than db_query() ([Drupal Docs](#))

```
db_query("CREATE TABLE {hosting_site_stats} (
```

Line 10: Use the new Schema API to create and drop tables rather than db_query() ([Drupal Docs](#))

```
db_query("CREATE TABLE {hosting_stats} (
```

[/Users/adrian/Projects/hosting/hosting/task/hosting_task.install](#)

hosting_task.install

Line 4: Use the new Schema API to create and drop tables rather than db_query() ([Drupal Docs](#))

```
db_query("CREATE TABLE {hosting_task} (
```

Line 14: Use the new Schema API to create and drop tables rather than db_query() ([Drupal Docs](#))

```
db_query("CREATE TABLE {hosting_task_arguments} (
```

Line 22: Use the new Schema API to create and drop tables rather than db_query() ([Drupal Docs](#))

```
db_query("CREATE TABLE {hosting_task_log} (
```

Line 34: Use the new Schema API to create and drop tables rather than db_query() ([Drupal Docs](#))

```
db_query("CREATE TABLE {hosting_task_queue} (
```

[/Users/adrian/Projects/hosting/hosting/web_server/hosting_web_server.install](#)

hosting_web_server.install

Line 4: Use the new Schema API to create and drop tables rather than db_query() ([Drupal Docs](#))

```
db_query("CREATE TABLE {hosting_web_server} (
```

[profiles/hostmaster/modules/hosting/client/hosting_client.module](#)

hosting_client.module

Line 3: New syntax for .info files requires core=6.x

```
dependencies = hosting
```

Line 43: Parameters to hook_access() have changed ([Drupal Docs](#))

```
function hosting_client_access($op, $node) {
```

[/Users/adrian/Projects/hosting/hosting/client/hosting_client.install](#)

hosting_client.install

Line 4: Use the new Schema API to create and drop tables rather than db_query() ([Drupal Docs](#))

```
db_query("CREATE TABLE {hosting_client} (
```

[profiles/hostmaster/modules/hosting/db_server/hosting_db_server.module](#)

hosting_db_server.module

Line 3: New syntax for .info files requires core=6.x

```
dependencies = hosting
```

Line 43: Parameters to hook_access() have changed ([Drupal Docs](#))

```
function hosting_db_server_access($op, $node) {
```

[/Users/adrian/Projects/hosting/hosting/db_server/hosting_db_server.install](#)

hosting_db_server.install

Line 4: Use the new Schema API to create and drop tables rather than db_query() ([Drupal Docs](#))



```
db_query("CREATE TABLE {hosting_db_server} (
```