

PHP Version 5.3.0

System	Darwin donna 10.2.0 Darwin Kernel Version 10.2.0: Tue Nov 3 10:37:10 PST 2009; root:xnu-1486.2.11~1/RELEASE_I386 i386
Build Date	Jul 19 2009 00:29:45
Configure Command	'/var/tmp/apache_mod_php/apache_mod_php-53~1/php/configure' '--prefix=/usr' '--mandir=/usr/share/man' '--infodir=/usr/share/info' '--disable-dependency-tracking' '--sysconfdir=/private/etc' '--with-apxs2=/usr/sbin/apxs' '--enable-cli' '--with-config-file-path=/etc' '--with-libxml-dir=/usr' '--with-openssl=/usr' '--with-kerberos=/usr' '--with-zlib=/usr' '--enable-bcmath' '--with-bz2=/usr' '--enable-calendar' '--with-curl=/usr' '--enable-exif' '--enable-ftp' '--with-gd' '--with-jpeg-dir=/BinaryCache/apache_mod_php/apache_mod_php-53~1/Root/usr/local' '--with-png-dir=/BinaryCache/apache_mod_php/apache_mod_php-53~1/Root/usr/local' '--enable-gd-native-ttf' '--with-ldap=/usr' '--with-ldap-sasl=/usr' '--enable-mbstring' '--enable-mbregex' '--with-mysql=mysqlnd' '--with-mysqli=mysqlnd' '--with-pdo-mysql=mysqlnd' '--with-mysql-sock=/var/mysql/mysql.sock' '--with-iodbc=/usr' '--enable-shmop' '--with-snmp=/usr' '--enable-soap' '--enable-sockets' '--enable-sysvmsg' '--enable-sysvsem' '--enable-sysvshm' '--with-xmlrpc' '--with-iconv-dir=/usr' '--with-xsl=/usr' '--with-pcre-regex=/usr'
Server API	Apache 2.0 Handler
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/etc
Loaded Configuration File	(none)
Scan this dir for additional .ini files	(none)
Additional .ini files parsed	(none)
PHP API	20090626
PHP Extension	20090626
Zend Extension	220090626
Zend Extension Build	API220090626,NTS
PHP Extension Build	API20090626,NTS
Debug Build	no
Thread Safety	disabled
Zend Memory Manager	enabled
Zend Multibyte Support	disabled
IPv6 Support	enabled
Registered	https, ftps, compress.zlib, compress.bzip2, php, file, glob, data, http, ftp, phar

PHP Streams	
Registered Stream Socket Transports	tcp, udp, unix, udg, ssl, sslv3, sslv2, tls
Registered Stream Filters	zlib.*, bzip2.*, convert.iconv.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, dechunk

This program makes use of the Zend Scripting Language Engine:
 Zend Engine v2.3.0, Copyright (c) 1998-2009 Zend Technologies



PHP Credits

Configuration

apache2handler

Apache Version	Apache/2.2.13 (Unix) mod_ssl/2.2.13 OpenSSL/0.9.8l DAV/2 PHP/5.3.0
Apache API Version	20051115
Server Administrator	n.brunberg@gmail.com
Hostname:Port	donna.local:0
User/Group	_www(70)/70
Max Requests	Per Child: 0 - Keep Alive: on - Max Per Connection: 100
Timeouts	Connection: 300 - Keep-Alive: 5
Virtual Server	No
Server Root	/usr
Loaded Modules	core prefork http_core mod_so mod_authn_file mod_authn_dbm mod_authn_anon mod_authn_dbd mod_authn_default mod_authz_host mod_authz_groupfile mod_authz_user mod_authz_dbm mod_authz_owner mod_authz_default mod_auth_basic mod_auth_digest mod_cache mod_disk_cache mod_mem_cache mod_dbd mod_dumpio mod_ext_filter mod_include mod_filter mod_substitute mod_deflate mod_log_config mod_log_forensic mod_logio mod_env mod_mime_magic mod_cern_meta mod_expires mod_headers mod_ident mod_usertrack mod_setenvif mod_version mod_proxy mod_proxy_connect mod_proxy_ftp mod_proxy_http mod_proxy_ajp mod_proxy_balancer mod_ssl mod_mime mod_dav mod_status mod_autoindex mod_asis mod_info mod_cgi mod_dav_fs mod_vhost_alias mod_negotiation mod_dir mod_imagemap mod_actions mod_speling mod_userdir mod_alias mod_rewrite mod_bonjour2 mod_php5

Directive	Local Value	Master Value
engine	1	1
last_modified	0	0
xbithack	0	0

Apache Environment

Variable	Value
HTTP_HOST	donna.local
HTTP_USER_AGENT	Mozilla/5.0 (Macintosh; U; Intel Mac OS X 10_6_2; sv-se) AppleWebKit/531.22.7 (KHTML, like Gecko) Version/4.0.5 Safari/531.22.7
HTTP_ACCEPT	application/xml,application/xhtml+xml,text/html;q=0.9,text/plain;q=0.8,image/png,*/*;q=0.5
HTTP_ACCEPT_LANGUAGE	sv-se
HTTP_ACCEPT_ENCODING	gzip, deflate
HTTP_COOKIE	Drupal.toolbar.collapsed=0; filter=seeding; has_js=1; show_filter=true; show_inspector=true
HTTP_CONNECTION	keep-alive
PATH	/usr/bin:/bin:/usr/sbin:/sbin
SERVER_SIGNATURE	<i>no value</i>
SERVER_SOFTWARE	Apache/2.2.13 (Unix) mod_ssl/2.2.13 OpenSSL/0.9.8l DAV/2 PHP/5.3.0
SERVER_NAME	donna.local
SERVER_ADDR	fe80::216:cbff:fe86:5e69
SERVER_PORT	80
REMOTE_ADDR	fe80::223:6cff:fe93:13b5
DOCUMENT_ROOT	/Library/WebServer/Documents
SERVER_ADMIN	n.brunberg@gmail.com
SCRIPT_FILENAME	/Library/WebServer/Documents/info.php
REMOTE_PORT	51233
GATEWAY_INTERFACE	CGI/1.1
SERVER_PROTOCOL	HTTP/1.1
REQUEST_METHOD	GET
QUERY_STRING	<i>no value</i>
REQUEST_URI	/info.php
SCRIPT_NAME	/info.php

HTTP Headers Information

HTTP Request Headers	
HTTP Request	GET /info.php HTTP/1.1
Host	donna.local
User-Agent	Mozilla/5.0 (Macintosh; U; Intel Mac OS X 10_6_2; sv-se) AppleWebKit/531.22.7 (KHTML, like Gecko) Version/4.0.5 Safari/531.22.7
Accept	application/xml,application/xhtml+xml,text/html;q=0.9,text/plain;q=0.8,image/png,*/*;q=0.5
Accept-Language	sv-se
Accept-Encoding	gzip, deflate
Cookie	Drupal.toolbar.collapsed=0; filter=seeding; has_js=1; show_filter=true; show_inspector=true
Connection	keep-alive
HTTP Response Headers	
X-Powered-By	PHP/5.3.0
Keep-Alive	timeout=5, max=100

Connection	Keep-Alive
Transfer-Encoding	chunked
Content-Type	text/html

bcmath

BCMath support	enabled
----------------	---------

Directive	Local Value	Master Value
bcmath.scale	0	0

bz2

BZip2 Support	Enabled
Stream Wrapper support	compress.bz2://
Stream Filter support	bzip2.decompress, bzip2.compress
BZip2 Version	1.0.5, 10-Dec-2007

calendar

Calendar support	enabled
------------------	---------

Core

PHP Version	5.3.0
-------------	-------

Directive	Local Value	Master Value
allow_call_time_pass_reference	On	On
allow_url_fopen	On	On
allow_url_include	Off	Off
always_populate_raw_post_data	Off	Off
arg_separator.input	&	&
arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	<i>no value</i>	<i>no value</i>
auto_globals_jit	On	On
auto_prepend_file	<i>no value</i>	<i>no value</i>
browscap	<i>no value</i>	<i>no value</i>
default_charset	<i>no value</i>	<i>no value</i>
default_mimetype	text/html	text/html
define_syslog_variables	Off	Off
disable_classes	<i>no value</i>	<i>no value</i>
disable_functions	<i>no value</i>	<i>no value</i>

display_errors	On	On
display_startup_errors	Off	Off
doc_root	<i>no value</i>	<i>no value</i>
docref_ext	<i>no value</i>	<i>no value</i>
docref_root	<i>no value</i>	<i>no value</i>
enable_dl	On	On
error_append_string	<i>no value</i>	<i>no value</i>
error_log	<i>no value</i>	<i>no value</i>
error_prepend_string	<i>no value</i>	<i>no value</i>
error_reporting	<i>no value</i>	<i>no value</i>
exit_on_timeout	Off	Off
expose_php	On	On
extension_dir	/usr/lib/php/extensions/no-debug-non-zts-20090626	/usr/lib/php/extensions/no-debug-non-zts-20090626
file_uploads	On	On
highlight.bg	#FFFFFF	#FFFFFF
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000
highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000
html_errors	On	On
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off
implicit_flush	Off	Off
include_path	./usr/lib/php	./usr/lib/php
log_errors	Off	Off
log_errors_max_len	1024	1024
magic_quotes_gpc	On	On
magic_quotes_runtime	Off	Off
magic_quotes_sybase	Off	Off
mail.add_x_header	Off	Off
mail.force_extra_parameters	<i>no value</i>	<i>no value</i>
mail.log	<i>no value</i>	<i>no value</i>
max_execution_time	30	30
max_input_nesting_level	64	64
max_input_time	-1	-1
memory_limit	128M	128M
open_basedir	<i>no value</i>	<i>no value</i>
output_buffering	0	0
output_handler	<i>no value</i>	<i>no value</i>
post_max_size	8M	8M
precision	14	14
realpath_cache_size	16K	16K
realpath_cache_ttl	120	120

register_argc_argv	On	On
register_globals	Off	Off
register_long_arrays	On	On
report_memleaks	On	On
report zend_debug	On	On
request_order	<i>no value</i>	<i>no value</i>
safe_mode	Off	Off
safe_mode_exec_dir	/usr/local/php/bin	/usr/local/php/bin
safe_mode_gid	Off	Off
safe_mode_include_dir	<i>no value</i>	<i>no value</i>
sendmail_from	<i>no value</i>	<i>no value</i>
sendmail_path	/usr/sbin/sendmail -t -i	/usr/sbin/sendmail -t -i
serialize_precision	100	100
short_open_tag	On	On
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off
track_errors	Off	Off
unserialize_callback_func	<i>no value</i>	<i>no value</i>
upload_max_filesize	2M	2M
upload_tmp_dir	<i>no value</i>	<i>no value</i>
user_dir	<i>no value</i>	<i>no value</i>
user_ini.cache_ttl	300	300
user_ini.filename	.user.ini	.user.ini
variables_order	EGPCS	EGPCS
xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off
y2k_compliance	On	On
zend.enable_gc	On	On

ctype

ctype functions	enabled
-----------------	---------

curl

cURL support	enabled
cURL Information	7.19.4
Age	3
Features	
AsynchDNS	No
Debug	No
GSS-Negotiate	Yes
IDN	No
IPv6	Yes

Largefile	Yes
NTLM	Yes
SPNEGO	No
SSL	Yes
SSPI	No
krb4	No
libz	Yes
CharConv	No
Protocols	tftp, ftp, telnet, dict, ldap, http, file, https, ftps
Host	universal-apple-darwin10.0
SSL Version	OpenSSL/0.9.8l
ZLib Version	1.2.3

date

Warning: phpinfo() [[function.phpinfo](#)]: It is not safe to rely on the system's timezone settings. You are **required** to use the date.timezone setting or the date_default_timezone_set() function. In case you used any of those methods and you are still getting this warning, you most likely misspelled the timezone identifier. We selected 'Europe/Berlin' for 'CET/1.0/no DST' instead in **/Library/WebServer/Documents/info.php** on line 2

date/time support	enabled
"Olson" Timezone Database Version	2009.10
Timezone Database	internal
Default timezone	Europe/Berlin

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	<i>no value</i>	<i>no value</i>

dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.7.3
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

ereg

Regex Library	Bundled library enabled
---------------	-------------------------

exif

EXIF Support	enabled
EXIF Version	1.4 \$Id: exif.c,v 1.173.2.5.2.20.2.16 2009/06/12 14:03:35 felipe Exp \$
Supported EXIF Version	0220
Supported filetypes	JPEG,TIFF

Directive	Local Value	Master Value
exif.decode_jis_intel	JIS	JIS
exif.decode_jis_motorola	JIS	JIS
exif.decode_unicode_intel	UCS-2LE	UCS-2LE
exif.decode_unicode_motorola	UCS-2BE	UCS-2BE
exif.encode_jis	<i>no value</i>	<i>no value</i>
exif.encode_unicode	ISO-8859-15	ISO-8859-15

fileinfo

fileinfo support	enabled
version	1.0.5-dev

filter

Input Validation and Filtering	enabled
Revision	\$Revision: 1.52.2.39.2.16 \$

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	<i>no value</i>	<i>no value</i>

ftp

FTP support	enabled
-------------	---------

gd

GD Support	enabled
GD Version	bundled (2.0.34 compatible)
GIF Read Support	enabled
GIF Create Support	enabled
JPEG Support	enabled
libJPEG Version	6b

PNG Support	enabled
libPNG Version	1.2.37
WBMP Support	enabled
XBM Support	enabled

Directive	Local Value	Master Value
gd.jpeg_ignore_warning	0	0

hash

hash support	enabled
Hashing Engines	md2 md4 md5 sha1 sha224 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru snefru256 gost adler32 crc32 crc32b salsa10 salsa20 haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

iconv

iconv support	enabled
iconv implementation	libiconv
iconv library version	1.11

Directive	Local Value	Master Value
iconv.input_encoding	ISO-8859-1	ISO-8859-1
iconv.internal_encoding	ISO-8859-1	ISO-8859-1
iconv.output_encoding	ISO-8859-1	ISO-8859-1

json

json support	enabled
json version	1.2.1

ldap

LDAP Support	enabled
RCS Version	\$Id: ldap.c,v 1.161.2.3.2.11.2.30 2009/06/25 15:19:29 johannes Exp \$
Total Links	0/unlimited
API Version	3001
Vendor Name	OpenLDAP
Vendor Version	20411
SASL Support	Enabled

Directive	Local Value	Master Value
ldap.max_links	Unlimited	Unlimited

libxml

libXML support	active
libXML Compiled Version	2.7.3
libXML Loaded Version	20703
libXML streams	enabled

mbstring

Multibyte Support	enabled
Multibyte string engine	libmbfl
HTTP input encoding translation	disabled

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Multibyte (japanese) regex support	enabled
Multibyte regex (oniguruma) backtrack check	On
Multibyte regex (oniguruma) version	4.7.1

Directive	Local Value	Master Value
mbstring.detect_order	<i>no value</i>	<i>no value</i>
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	pass	pass
mbstring.http_output	pass	pass
mbstring.http_output_conv_mimetypes	^(text/application/xhtml\+xml)	^(text/application/xhtml\+xml)
mbstring.internal_encoding	<i>no value</i>	<i>no value</i>
mbstring.language	neutral	neutral
mbstring.strict_detection	Off	Off
mbstring.substitute_character	<i>no value</i>	<i>no value</i>

mysql

MySQL Support	enabled
Active Persistent Links	0
Active Links	0
Client API version	mysqlnd 5.0.5-dev - 081106 - \$Revision: 1.3.2.27 \$
Persistent cache	enabled
put_hits	0
put_misses	0
get_hits	0
get_misses	0
size	2000

free_items	2000
references	2

Directive	Local Value	Master Value
mysql.allow_local_infile	On	On
mysql.allow_persistent	On	On
mysql.cache_size	2000	2000
mysql.connect_timeout	60	60
mysql.default_host	<i>no value</i>	<i>no value</i>
mysql.default_password	<i>no value</i>	<i>no value</i>
mysql.default_port	<i>no value</i>	<i>no value</i>
mysql.default_socket	<i>no value</i>	<i>no value</i>
mysql.default_user	<i>no value</i>	<i>no value</i>
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

mysqli

Mysqli Support	enabled
Client API library version	mysqlnd 5.0.5-dev - 081106 - \$Revision: 1.3.2.27 \$
Active Persistent Links	0
Inactive Persistent Links	0
Active Links	0
Persistent cache	enabled
put_hits	0
put_misses	0
get_hits	0
get_misses	0
size	2000
free_items	2000
references	2

Directive	Local Value	Master Value
mysqli.allow_local_infile	On	On
mysqli.allow_persistent	On	On
mysqli.cache_size	2000	2000
mysqli.default_host	<i>no value</i>	<i>no value</i>
mysqli.default_port	3306	3306
mysqli.default_pw	<i>no value</i>	<i>no value</i>
mysqli.default_socket	<i>no value</i>	<i>no value</i>
mysqli.default_user	<i>no value</i>	<i>no value</i>
mysqli.max_links	Unlimited	Unlimited
mysqli.max_persistent	Unlimited	Unlimited
mysqli.reconnect	Off	Off

mysqlnd

mysqlnd	enabled
Version	mysqlnd 5.0.5-dev - 081106 - \$Revision: 1.3.2.27 \$
Command buffer size	2048
Read buffer size	32768
Collecting statistics	Yes
Collecting memory statistics	No

Client statistics	
bytes_sent	0
bytes_received	0
packets_sent	0
packets_received	0
protocol_overhead_in	0
protocol_overhead_out	0
bytes_received_ok_packet	0
bytes_received_eof_packet	0
bytes_received_rset_header_packet	0
bytes_received_rset_field_meta_packet	0
bytes_received_rset_row_packet	0
bytes_received_prepare_response_packet	0
bytes_received_change_user_packet	0
packets_sent_command	0
packets_received_ok	0
packets_received_eof	0
packets_received_rset_header	0
packets_received_rset_field_meta	0
packets_received_rset_row	0
packets_received_prepare_response	0
packets_received_change_user	0
result_set_queries	0
non_result_set_queries	0
no_index_used	0
bad_index_used	0
slow_queries	0
buffered_sets	0
unbuffered_sets	0
ps_buffered_sets	0
ps_unbuffered_sets	0
flushed_normal_sets	0
flushed_ps_sets	0
ps_prepared_never_executed	0
ps_prepared_once_executed	0
rows_fetched_from_server_normal	0

rows_fetched_from_server_ps	0
rows_buffered_from_client_normal	0
rows_buffered_from_client_ps	0
rows_fetched_from_client_normal_buffered	0
rows_fetched_from_client_normal_unbuffered	0
rows_fetched_from_client_ps_buffered	0
rows_fetched_from_client_ps_unbuffered	0
rows_fetched_from_client_ps_cursor	0
rows_skipped_normal	0
rows_skipped_ps	0
copy_on_write_saved	0
copy_on_write_performed	0
command_buffer_too_small	0
connect_success	0
connect_failure	7
connection_reused	0
reconnect	0
pconnect_success	0
active_connections	0
active_persistent_connections	0
explicit_close	0
implicit_close	0
disconnect_close	0
in_middle_of_command_close	0
explicit_free_result	0
implicit_free_result	0
explicit_stmt_close	0
implicit_stmt_close	0
mem_emalloc_count	0
mem_emalloc_ammount	0
mem_ecalloc_count	0
mem_ecalloc_ammount	0
mem_erealloc_count	0
mem_erealloc_ammount	0
mem_efree_count	0
mem_malloc_count	0
mem_malloc_ammount	0
mem_calloc_count	0
mem_calloc_ammount	0
mem_realloc_count	0
mem_realloc_ammount	0
mem_free_count	0
proto_text_fetched_null	0
proto_text_fetched_bit	0
proto_text_fetched_tinyint	0
proto_text_fetched_short	0

proto_text_fetched_int24	0
proto_text_fetched_int	0
proto_text_fetched_bigint	0
proto_text_fetched_decimal	0
proto_text_fetched_float	0
proto_text_fetched_double	0
proto_text_fetched_date	0
proto_text_fetched_year	0
proto_text_fetched_time	0
proto_text_fetched_datetime	0
proto_text_fetched_timestamp	0
proto_text_fetched_string	0
proto_text_fetched_blob	0
proto_text_fetched_enum	0
proto_text_fetched_set	0
proto_text_fetched_geometry	0
proto_text_fetched_other	0
proto_binary_fetched_null	0
proto_binary_fetched_bit	0
proto_binary_fetched_tinyint	0
proto_binary_fetched_short	0
proto_binary_fetched_int24	0
proto_binary_fetched_int	0
proto_binary_fetched_bigint	0
proto_binary_fetched_decimal	0
proto_binary_fetched_float	0
proto_binary_fetched_double	0
proto_binary_fetched_date	0
proto_binary_fetched_year	0
proto_binary_fetched_time	0
proto_binary_fetched_datetime	0
proto_binary_fetched_timestamp	0
proto_binary_fetched_string	0
proto_binary_fetched_blob	0
proto_binary_fetched_enum	0
proto_binary_fetched_set	0
proto_binary_fetched_geometry	0
proto_binary_fetched_other	0

odbc

ODBC Support	enabled
Active Persistent Links	0
Active Links	0
ODBC library	iodbc

ODBC_INCLUDE	-l/usr/include
ODBC_LFLAGS	-L/usr/lib
ODBC_LIBS	-liodbc

Directive	Local Value	Master Value
odbc.allow_persistent	On	On
odbc.check_persistent	On	On
odbc.default_cursortype	Static cursor	Static cursor
odbc.default_db	<i>no value</i>	<i>no value</i>
odbc.default_pw	<i>no value</i>	<i>no value</i>
odbc.default_user	<i>no value</i>	<i>no value</i>
odbc.defaultbinmode	return as is	return as is
odbc.defaultlrl	return up to 4096 bytes	return up to 4096 bytes
odbc.max_links	Unlimited	Unlimited
odbc.max_persistent	Unlimited	Unlimited

openssl

OpenSSL support	enabled
OpenSSL Library Version	OpenSSL 0.9.8l 5 Nov 2009
OpenSSL Header Version	OpenSSL 0.9.8k 25 Mar 2009

pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	7.8 2008-09-05

Directive	Local Value	Master Value
pcre.backtrack_limit	100000	100000
pcre.recursion_limit	100000	100000

PDO

PDO support	enabled
PDO drivers	mysql, sqlite, sqlite2

pdo_mysql

PDO Driver for MySQL	enabled
Client API version	mysqlnd 5.0.5-dev - 081106 - \$Revision: 1.3.2.27 \$
Persistent cache	enabled
put_hits	0
put_misses	0
get_hits	0

get_misses	0
size	2000
free_items	2000
references	2

Directive	Local Value	Master Value
pdo_mysql.cache_size	2000	2000
pdo_mysql.default_socket	/tmp/mysql.sock	/tmp/mysql.sock

pdo_sqlite

PDO Driver for SQLite 3.x	enabled
SQLite Library	3.6.15

Phar

Phar: PHP Archive support	enabled
Phar EXT version	2.0.0-dev
Phar API version	1.1.1
CVS revision	\$Revision: 1.370.2.62 \$
Phar-based phar archives	enabled
Tar-based phar archives	enabled
ZIP-based phar archives	enabled
gzip compression	enabled
bzip2 compression	enabled
OpenSSL support	enabled

Phar based on pear/PHP_Archive, original concept by Davey Shafik.
 Phar fully realized by Gregory Beaver and Marcus Boerger.
 Portions of tar implementation Copyright (c) 2003-2009 Tim Kientzle.

Directive	Local Value	Master Value
phar.cache_list	<i>no value</i>	<i>no value</i>
phar.readonly	On	On
phar.require_hash	On	On

posix

Revision	\$Revision: 1.70.2.3.2.16.2.15 \$
-----------------	-----------------------------------

Reflection

Reflection	enabled
Version	\$Revision: 1.164.2.33.2.45.2.58 \$

session

Session Support	enabled
Registered save handlers	files user sqlite
Registered serializer handlers	php php_binary

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.bug_compat_42	On	On
session.bug_compat_warn	On	On
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>
session.cookie_httponly	Off	Off
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	<i>no value</i>	<i>no value</i>
session.entropy_length	0	0
session.gc_divisor	100	100
session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.hash_bits_per_character	4	4
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	<i>no value</i>	<i>no value</i>
session.serialize_handler	php	php
session.use_cookies	On	On
session.use_only_cookies	On	On
session.use_trans_sid	0	0

shmop

shmop support	enabled
---------------	---------

SimpleXML

Simplexml support	enabled
Revision	\$Revision: 1.151.2.22.2.35.2.32 \$
Schema support	enabled

snmp

NET-SNMP Support	enabled
NET-SNMP Version	5.4.2.1

soap

Soap Client	enabled
Soap Server	enabled

Directive	Local Value	Master Value
soap.wsdl_cache	1	1
soap.wsdl_cache_dir	/tmp	/tmp
soap.wsdl_cache_enabled	1	1
soap.wsdl_cache_limit	5	5
soap.wsdl_cache_ttl	86400	86400

sockets

Sockets Support	enabled
------------------------	---------

SPL

SPL support	enabled
Interfaces	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
Classes	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, MultipleIterator, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator, RegexIterator, RuntimeException, SplDoublyLinkedList, SplFileInfo, SplFileObject, SplFixedArray, SplHeap, SplMinHeap, SplMaxHeap, SplObjectStorage, SplPriorityQueue, SplQueue, SplStack, SplTempFileObject, UnderflowException, UnexpectedValueException

SQLite

SQLite support	enabled
PECL Module version	2.0-dev \$Id: sqlite.c,v 1.166.2.13.2.9.2.22 2009/06/25 09:38:04 johannes Exp \$
SQLite Library	2.8.17
SQLite Encoding	iso8859

Directive	Local Value	Master Value
sqlite.assoc_case	0	0

sqlite3

SQLite3 support	enabled
SQLite3 module version	0.7-dev
SQLite Library	3.6.15

Directive	Local Value	Master Value
sqlite3.extension_dir	<i>no value</i>	<i>no value</i>

standard

Dynamic Library Support	enabled
Path to sendmail	/usr/sbin/sendmail -t -i

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	<i>no value</i>	<i>no value</i>
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60
safe_mode_allowed_env_vars	PHP_	PHP_
safe_mode_protected_env_vars	LD_LIBRARY_PATH	LD_LIBRARY_PATH
url_rewriter.tags	a=href,area=href,frame=src,form=,fieldset=	a=href,area=href,frame=src,form=,fieldset=
user_agent	<i>no value</i>	<i>no value</i>

sysvmsg

sysvmsg support	enabled
Revision	\$Revision: 1.20.2.3.2.6.2.9 \$

tokenizer

Tokenizer Support	enabled
--------------------------	---------

xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.7.3

xmlreader

XMLReader	enabled
------------------	---------

xmlrpc

core library version	xmlrpc-epi v. 0.51
php extension version	0.51
author	Dan Libby
homepage	http://xmlrpc-epi.sourceforge.net
open sourced by	Epinions.com

xmlwriter

XMLWriter	enabled
-----------	---------

xsl

XSL	enabled
libxslt Version	1.1.24
libxslt compiled against libxml Version	2.7.3
EXSLT	enabled
libexslt Version	1.1.24

zlib

ZLib Support	enabled
Stream Wrapper support	compress.zlib://
Stream Filter support	zlib.inflate, zlib.deflate
Compiled Version	1.2.3
Linked Version	1.2.3

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	<i>no value</i>	<i>no value</i>

Additional Modules

Module Name
sysvsem
sysvshm

Environment

Variable	Value
----------	-------

PATH

/usr/bin:/bin:/usr/sbin:/sbin

PHP Variables

Variable	Value
_REQUEST["Drupal_toolbar_collapsed"]	0
_REQUEST["filter"]	seeding
_REQUEST["has_js"]	1
_REQUEST["show_filter"]	true
_REQUEST["show_inspector"]	true
_COOKIE["Drupal_toolbar_collapsed"]	0
_COOKIE["filter"]	seeding
_COOKIE["has_js"]	1
_COOKIE["show_filter"]	true
_COOKIE["show_inspector"]	true
_SERVER["HTTP_HOST"]	donna.local
_SERVER["HTTP_USER_AGENT"]	Mozilla/5.0 (Macintosh; U; Intel Mac OS X 10_6_2; sv-se) AppleWebKit/531.22.7 (KHTML, like Gecko) Version/4.0.5 Safari/531.22.7
_SERVER["HTTP_ACCEPT"]	application/xml,application/xhtml+xml,text/html;q=0.9,text/plain;q=0.8,image/png,*/*;q=0.5
_SERVER["HTTP_ACCEPT_LANGUAGE"]	sv-se
_SERVER["HTTP_ACCEPT_ENCODING"]	gzip, deflate
_SERVER["HTTP_COOKIE"]	Drupal.toolbar.collapsed=0; filter=seeding; has_js=1; show_filter=true; show_inspector=true
_SERVER["HTTP_CONNECTION"]	keep-alive
_SERVER["PATH"]	/usr/bin:/bin:/usr/sbin:/sbin
_SERVER["SERVER_SIGNATURE"]	<i>no value</i>
_SERVER["SERVER_SOFTWARE"]	Apache/2.2.13 (Unix) mod_ssl/2.2.13 OpenSSL/0.9.8l DAV/2 PHP/5.3.0
_SERVER["SERVER_NAME"]	donna.local
_SERVER["SERVER_ADDR"]	fe80::216:cbff:fe86:5e69
_SERVER["SERVER_PORT"]	80
_SERVER["REMOTE_ADDR"]	fe80::223:6cff:fe93:13b5
_SERVER["DOCUMENT_ROOT"]	/Library/WebServer/Documents
_SERVER["SERVER_ADMIN"]	n.brunberg@gmail.com
_SERVER["SCRIPT_FILENAME"]	/Library/WebServer/Documents/info.php
_SERVER["REMOTE_PORT"]	51233
_SERVER["GATEWAY_INTERFACE"]	CGI/1.1
_SERVER["SERVER_PROTOCOL"]	HTTP/1.1
_SERVER["REQUEST_METHOD"]	GET
_SERVER["QUERY_STRING"]	<i>no value</i>
_SERVER["REQUEST_URI"]	/info.php
_SERVER["SCRIPT_NAME"]	/info.php
_SERVER["PHP_SELF"]	/info.php
_SERVER["REQUEST_TIME"]	1269529691
_SERVER["argv"]	Array ()
_SERVER["argc"]	0

<code>_ENV["PATH"]</code>	<code>/usr/bin:/bin:/usr/sbin:/sbin</code>
---------------------------	--

PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.